#### **NAME**

CMS\_compress - create a CMS CompressedData structure

#### **SYNOPSIS**

#include <openssl/cms.h>

CMS\_ContentInfo \*CMS\_compress(BIO \*in, int comp\_nid, unsigned int flags);

# **DESCRIPTION**

**CMS\_compress**() creates and returns a CMS CompressedData structure. **comp\_nid** is the compression algorithm to use or **NID\_undef** to use the default algorithm (zlib compression). **in** is the content to be compressed. **flags** is an optional set of flags.

The only currently supported compression algorithm is zlib using the NID NID\_zlib\_compression.

If zlib support is not compiled into OpenSSL then CMS\_compress() will return an error.

If the CMS\_TEXT flag is set MIME headers for type text/plain are prepended to the data.

Normally the supplied content is translated into MIME canonical format (as required by the S/MIME specifications) if **CMS\_BINARY** is set no translation occurs. This option should be used if the supplied data is in binary format otherwise the translation will corrupt it. If **CMS\_BINARY** is set then **CMS\_TEXT** is ignored.

If the **CMS\_STREAM** flag is set a partial **CMS\_ContentInfo** structure is returned suitable for streaming I/O: no data is read from the BIO **in**.

The compressed data is included in the CMS\_ContentInfo structure, unless **CMS\_DETACHED** is set in which case it is omitted. This is rarely used in practice and is not supported by **SMIME\_write\_CMS()**.

If the flag **CMS\_STREAM** is set the returned **CMS\_ContentInfo** structure is **not** complete and outputting its contents via a function that does not properly finalize the **CMS\_ContentInfo** structure will give unpredictable results.

Several functions including **SMIME\_write\_CMS**(), **i2d\_CMS\_bio\_stream**(), **PEM\_write\_bio\_CMS\_stream**() finalize the structure. Alternatively finalization can be performed by obtaining the streaming ASN1 **BIO** directly using **BIO\_new\_CMS**().

Additional compression parameters such as the zlib compression level cannot currently be set.

# **RETURN VALUES**

**CMS\_compress**() returns either a CMS\_ContentInfo structure or NULL if an error occurred. The error can be obtained from **ERR\_get\_error**(3).

#### **SEE ALSO**

**ERR\_get\_error**(3), **CMS\_uncompress**(3)

# **HISTORY**

The CMS\_STREAM flag was added in OpenSSL 1.0.0.

### **COPYRIGHT**

Copyright 2008-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <a href="https://www.openssl.org/source/license.html">https://www.openssl.org/source/license.html</a>>.