

NAME

MagickCore-config - get information about the installed version of ImageMagick

SYNOPSIS

MagickCore-config [**--cflags**] [**--cppflags**] [**--exec-prefix**] [**--ldflags**] [**--libs**] [**--prefix**] [**--version**]

DESCRIPTION

The **MagickCore-config** utility prints the compiler and linker flags required to compile and link programs that use the **ImageMagick Core** Application Programmer Interface.

The following options are available:

--cppflags, --cflags, --cxxflags

Print the compiler flags that are needed to find the ImageMagick(1) C include files and defines to ensure that the ImageMagick data structures match between your program and the installed libraries.

--prefix, --exec-prefix

Print the directory under which target specific binaries and executables are installed.

--ldflags, --libs

Print the linker flags that are needed to link with the ImageMagick(1) library.

--version Print the version of the ImageMagick(1) distribution to standard output.**--coder-path** Print the path where the ImageMagick(1) coder modules are installed.**--filter-path** Print the path where the ImageMagick(1) filter modules are installed.**EXAMPLES**

To print the version of the installed distribution of **ImageMagick** use:

```
MagickCore-config --version
```

To compile a program that calls the ImageMagick(1) Application Programmer Interface, use:

```
cc `MagickCore-config --cppflags --ldflags` program.c
```

SEE ALSO

ImageMagick(1)

LICENSE

ImageMagick is licensed with a derived Apache license 2.0. See
<http://imagemagick.org/script/license.php> for more details.

AUTHORS

The **ImageMagick** suite and this manual page were written by Cristy, ImageMagick Studio LLC
<development-team@imagemagick.org>.