

NAME

SSL_CTX_ctrl, SSL_CTX_callback_ctrl, SSL_ctrl, SSL_callback_ctrl - internal handling functions for SSL_CTX and SSL objects

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
long SSL_CTX_ctrl(SSL_CTX *ctx, int cmd, long larg, void *parg);
```

```
long SSL_CTX_callback_ctrl(SSL_CTX *, int cmd, void (*fp)());
```

```
long SSL_ctrl(SSL *ssl, int cmd, long larg, void *parg);
```

```
long SSL_callback_ctrl(SSL *, int cmd, void (*fp)());
```

DESCRIPTION

The `SSL*_ctrl()` family of functions is used to manipulate settings of the SSL_CTX and SSL objects. Depending on the command **cmd** the arguments **larg**, **parg**, or **fp** are evaluated. These functions should never be called directly. All functionalities needed are made available via other functions or macros.

RETURN VALUES

The return values of the `SSL*_ctrl()` functions depend on the command supplied via the **cmd** parameter.

SEE ALSO

`ssl(7)`

COPYRIGHT

Copyright 2001-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.