

NAME

SSL_CTX_get_verify_mode, SSL_get_verify_mode, SSL_CTX_get_verify_depth, SSL_get_verify_depth, SSL_get_verify_callback, SSL_CTX_get_verify_callback - get currently set verification parameters

SYNOPSIS

```
#include <openssl/ssl.h>
```

```
int SSL_CTX_get_verify_mode(const SSL_CTX *ctx);
int SSL_get_verify_mode(const SSL *ssl);
int SSL_CTX_get_verify_depth(const SSL_CTX *ctx);
int SSL_get_verify_depth(const SSL *ssl);
int (*SSL_CTX_get_verify_callback(const SSL_CTX *ctx))(int, X509_STORE_CTX *);
int (*SSL_get_verify_callback(const SSL *ssl))(int, X509_STORE_CTX *);
```

DESCRIPTION

SSL_CTX_get_verify_mode() returns the verification mode currently set in **ctx**.

SSL_get_verify_mode() returns the verification mode currently set in **ssl**.

SSL_CTX_get_verify_depth() returns the verification depth limit currently set in **ctx**. If no limit has been explicitly set, -1 is returned and the default value will be used.

SSL_get_verify_depth() returns the verification depth limit currently set in **ssl**. If no limit has been explicitly set, -1 is returned and the default value will be used.

SSL_CTX_get_verify_callback() returns a function pointer to the verification callback currently set in **ctx**. If no callback was explicitly set, the NULL pointer is returned and the default callback will be used.

SSL_get_verify_callback() returns a function pointer to the verification callback currently set in **ssl**. If no callback was explicitly set, the NULL pointer is returned and the default callback will be used.

RETURN VALUES

See DESCRIPTION

SEE ALSO

ssl(7), SSL_CTX_set_verify(3)

COPYRIGHT

Copyright 2000-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <https://www.openssl.org/source/license.html>.