

NAME

X509_EXTENSION_set_object, X509_EXTENSION_set_critical, X509_EXTENSION_set_data,
 X509_EXTENSION_create_by_NID, X509_EXTENSION_create_by_OBJ,
 X509_EXTENSION_get_object, X509_EXTENSION_get_critical, X509_EXTENSION_get_data -
 extension utility functions

SYNOPSIS

```
int X509_EXTENSION_set_object(X509_EXTENSION *ex, const ASN1_OBJECT *obj);
int X509_EXTENSION_set_critical(X509_EXTENSION *ex, int crit);
int X509_EXTENSION_set_data(X509_EXTENSION *ex, ASN1_OCTET_STRING *data);
```

```
X509_EXTENSION *X509_EXTENSION_create_by_NID(X509_EXTENSION **ex,
      int nid, int crit,
      ASN1_OCTET_STRING *data);
```

```
X509_EXTENSION *X509_EXTENSION_create_by_OBJ(X509_EXTENSION **ex,
      const ASN1_OBJECT *obj, int crit,
      ASN1_OCTET_STRING *data);
```

```
ASN1_OBJECT *X509_EXTENSION_get_object(X509_EXTENSION *ex);
int X509_EXTENSION_get_critical(const X509_EXTENSION *ex);
ASN1_OCTET_STRING *X509_EXTENSION_get_data(X509_EXTENSION *ex);
```

DESCRIPTION

X509_EXTENSION_set_object() sets the extension type of **ex** to **obj**. The **obj** pointer is duplicated internally so **obj** should be freed up after use.

X509_EXTENSION_set_critical() sets the criticality of **ex** to **crit**. If **crit** is zero the extension is non-critical otherwise it is critical.

X509_EXTENSION_set_data() sets the data in extension **ex** to **data**. The **data** pointer is duplicated internally.

X509_EXTENSION_create_by_NID() creates an extension of type **nid**, criticality **crit** using data **data**. The created extension is returned and written to ***ex** reusing or allocating a new extension if necessary so ***ex** should either be **NULL** or a valid **X509_EXTENSION** structure it must **not** be an uninitialised pointer.

X509_EXTENSION_create_by_OBJ() is identical to **X509_EXTENSION_create_by_NID()** except it creates and extension using **obj** instead of a NID.

X509_EXTENSION_get_object() returns the extension type of **ex** as an **ASN1_OBJECT** pointer. The returned pointer is an internal value which must not be freed up.

X509_EXTENSION_get_critical() returns the criticality of extension **ex** it returns **1** for critical and **0** for non-critical.

X509_EXTENSION_get_data() returns the data of extension **ex**. The returned pointer is an internal value which must not be freed up.

NOTES

These functions manipulate the contents of an extension directly. Most applications will want to parse or encode and add an extension: they should use the extension encode and decode functions instead such as **X509_add1_ext_i2d()** and **X509_get_ext_d2i()**.

The **data** associated with an extension is the extension encoding in an **ASN1_OCTET_STRING** structure.

RETURN VALUES

X509_EXTENSION_set_object() **X509_EXTENSION_set_critical()** and **X509_EXTENSION_set_data()** return **1** for success and **0** for failure.

X509_EXTENSION_create_by_NID() and **X509_EXTENSION_create_by_OBJ()** return an **X509_EXTENSION** pointer or **NULL** if an error occurs.

X509_EXTENSION_get_object() returns an **ASN1_OBJECT** pointer.

X509_EXTENSION_get_critical() returns **0** for non-critical and **1** for critical.

X509_EXTENSION_get_data() returns an **ASN1_OCTET_STRING** pointer.

SEE ALSO

X509V3_get_d2i(3)

COPYRIGHT

Copyright 2015-2016 The OpenSSL Project Authors. All Rights Reserved.

Licensed under the Apache License 2.0 (the "License"). You may not use this file except in compliance with the License. You can obtain a copy in the file LICENSE in the source distribution or at <<https://www.openssl.org/source/license.html>>.