

NAME

XCreateFontCursor, XCreatePixmapCursor, XCreateGlyphCursor - create cursors

SYNTAX

```
#include <X11/cursorfont.h>
```

```
Cursor XCreateFontCursor(Display *display, unsigned int shape);
```

```
Cursor XCreatePixmapCursor(Display *display, Pixmap source, Pixmap mask, XColor  
*foreground_color, XColor *background_color, unsigned int x, unsigned int y);
```

```
Cursor XCreateGlyphCursor(Display *display, Font source_font, Font mask_font, unsigned int  
source_char, unsigned int mask_char, XColor _Xconst *foreground_color, XColor _Xconst  
*background_color);
```

ARGUMENTS

background_color

Specifies the RGB values for the background of the source.

display

Specifies the connection to the X server.

foreground_color

Specifies the RGB values for the foreground of the source.

mask

Specifies the cursor's source bits to be displayed or **None**.

mask_char

Specifies the glyph character for the mask.

mask_font

Specifies the font for the mask glyph or **None**.

shape

Specifies the shape of the cursor.

source

Specifies the shape of the source cursor.

source_char

Specifies the character glyph for the source.

source_font

Specifies the font for the source glyph.

x

y Specify the x and y coordinates, which indicate the hotspot relative to the source's origin.

DESCRIPTION

X provides a set of standard cursor shapes in a special font named cursor. Applications are encouraged to use this interface for their cursors because the font can be customized for the individual display type. The shape argument specifies which glyph of the standard fonts to use.

The hotspot comes from the information stored in the cursor font. The initial colors of a cursor are a black foreground and a white background (see **XRecolorCursor**).

XCreateFontCursor can generate **BadAlloc** and **BadValue** errors.

The **XCreatePixmapCursor** function creates a cursor and returns the cursor ID associated with it. The foreground and background RGB values must be specified using foreground_color and background_color, even if the X server only has a **StaticGray** or **GrayScale** screen. The foreground color is used for the pixels set to 1 in the source, and the background color is used for the pixels set to 0. Both source and mask, if specified, must have depth one (or a **BadMatch** error results) but can have any root. The mask argument defines the shape of the cursor. The pixels set to 1 in the mask define which source pixels are displayed, and the pixels set to 0 define which pixels are ignored. If no mask is given, all pixels of the source are displayed. The mask, if present, must be the same size as the pixmap defined by the source argument, or a **BadMatch** error results. The hotspot must be a point within the source, or a **BadMatch** error results.

The components of the cursor can be transformed arbitrarily to meet display limitations. The pixmaps can be freed immediately if no further explicit references to them are to be made. Subsequent drawing in the source or mask pixmap has an undefined effect on the cursor. The X server might or might not make a copy of the pixmap.

XCreatePixmapCursor can generate **BadAlloc** and **BadPixmap** errors.

The **XCreateGlyphCursor** function is similar to **XCreatePixmapCursor** except that the source and mask bitmaps are obtained from the specified font glyphs. The source_char must be a defined glyph in source_font, or a **BadValue** error results. If mask_font is given, mask_char must be a defined glyph in mask_font, or a **BadValue** error results. The mask_font and character are optional. The origins of the source_char and mask_char (if defined) glyphs are positioned coincidentally and define the hotspot. The source_char and mask_char need not have the same bounding box metrics, and there is no restriction on the placement of the hotspot relative to the bounding boxes. If no mask_char is given, all pixels of the source are displayed. You can free the fonts immediately by calling **XFreeFont** if no further explicit references to them are to be made.

For 2-byte matrix fonts, the 16-bit value should be formed with the `byte1` member in the most significant byte and the `byte2` member in the least significant byte.

XCreateGlyphCursor can generate **BadAlloc**, **BadFont**, and **BadValue** errors.

DIAGNOSTICS

- BadAlloc** The server failed to allocate the requested resource or server memory.
- BadFont** A value for a `Font` or `GContext` argument does not name a defined `Font`.
- BadMatch** Some argument or pair of arguments has the correct type and range but fails to match in some other way required by the request.
- BadPixmap** A value for a `Pixmap` argument does not name a defined `Pixmap`.
- BadValue** Some numeric value falls outside the range of values accepted by the request. Unless a specific range is specified for an argument, the full range defined by the argument's type is accepted. Any argument defined as a set of alternatives can generate this error.

SEE ALSO

`XDefineCursor(3)`, `XLoadFont(3)`, `XRecolorCursor(3)`

Xlib - C Language X Interface