

NAME

XmbLookupString, XwcLookupString, Xutf8LookupString – obtain composed input from an input method

SYNTAX

```
int XmbLookupString(XIC ic, XKeyPressedEvent *event, char *buffer_return, int bytes_buffer, KeySym
    *keysym_return, Status *status_return);
```

```
int XwcLookupString(XIC ic, XKeyPressedEvent *event, wchar_t *buffer_return, int wchars_buffer,
    KeySym *keysym_return, Status *status_return);
```

```
int Xutf8LookupString(XIC ic, XKeyPressedEvent *event, char *buffer_return, int bytes_buffer, KeySym
    *keysym_return, Status *status_return);
```

ARGUMENTS

buffer_return Returns a multibyte string or wide character string (if any) from the input method.

bytes_buffer

wchars_buffer Specifies space available in the return buffer.

event Specifies the key event to be used.

ic Specifies the input context.

keysym_return Returns the KeySym computed from the event if this argument is not NULL.

status_return Returns a value indicating what kind of data is returned.

DESCRIPTION

The **XmbLookupString**, **XwcLookupString** and **Xutf8LookupString** functions return the string from the input method specified in the *buffer_return* argument. If no string is returned, the *buffer_return* argument is unchanged.

The KeySym into which the KeyCode from the event was mapped is returned in the *keysym_return* argument if it is non-NULL and the *status_return* argument indicates that a KeySym was returned. If both a string and a KeySym are returned, the KeySym value does not necessarily correspond to the string returned.

XmbLookupString and **Xutf8LookupString** return the length of the string in bytes, and **XwcLookupString** returns the length of the string in characters. Both **XmbLookupString** and **XwcLookupString** return text in the encoding of the locale bound to the input method of the specified input context, and **Xutf8LookupString** returns text in UTF-8 encoding.

Each string returned by **XmbLookupString** and **XwcLookupString** begins in the initial state of the encoding of the locale (if the encoding of the locale is state-dependent).

Note: To ensure proper input processing, it is essential that the client pass only **KeyPress** events to **XmbLookupString**, **XwcLookupString** and **Xutf8LookupString**. Their behavior when a client passes a **KeyRelease** event is undefined.

Clients should check the *status_return* argument before using the other returned values. These three functions each return a value to *status_return* that indicates what has been returned in the other arguments. The possible values returned are:

XBufferOverflow The input string to be returned is too large for the supplied *buffer_return*. The required size (for **XmbLookupString**, **Xutf8LookupString** in bytes; for **XwcLookupString** in characters) is returned as the value of the function, and the contents of *buffer_return* and *keysym_return* are not modified. The client should recall the function with the same event and a buffer of adequate size to obtain the string.

XLookupNone No consistent input has been composed so far. The contents of *buffer_return* and *keysym_return* are not modified, and the function returns zero.

- XLookupChars** Some input characters have been composed. They are placed in the `buffer_return` argument, using the encoding described above, and the string length is returned as the value of the function. The content of the `keysym_return` argument is not modified.
- XLookupKeySym** A `KeySym` has been returned instead of a string and is returned in `keysym_return`. The content of the `buffer_return` argument is not modified, and the function returns zero.
- XLookupBoth** Both a `KeySym` and a string are returned; **XLookupChars** and **XLookupKeySym** occur simultaneously.

It does not make any difference if the input context passed as an argument to **XmbLookupString**, **XwcLookupString** and **Xutf8LookupString** is the one currently in possession of the focus or not. Input may have been composed within an input context before it lost the focus, and that input may be returned on subsequent calls to **XmbLookupString**, **XwcLookupString** or **Xutf8LookupString** even though it does not have any more keyboard focus.

The function **Xutf8LookupString** is an extension introduced by The XFree86 Project, Inc., in their 4.0.2 release. Its presence is indicated by the macro **X_HAVE_UTF8_STRING**.

SEE ALSO

`XLookupKeysym(3)`, `Compose(5)`

Xlib – C Language X Interface