

NAME

XtGetSelectionParameters - retrieve target parameters for a selection request with a single target

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
void XtGetSelectionParameters(Widget owner, Atom selection, XtRequestId request_id, Atom  
*type_return, XtPointer *value_return, unsigned long *length_return, int *format_return);
```

ARGUMENTS

- owner* Specifies the widget that owns the specified selection.
- selection* Specifies the selection being processed.
- request_id* Specifies the requestor id in the case of incremental selections, or NULL in the case of atomic transfers.
- type_return* Specifies a pointer to an atom in which the property type of the parameters will be stored.
- value_return* Specifies a pointer into which a pointer to the parameters are to be stored. A NULL will be stored if no parameters accompany the request.
- length_return* Specifies a pointer into which the number of data elements in *value_return* of size indicated by *format_return* will be stored.
- format_return* Specifies a pointer into which the size in bits of the parameter data in the elements of *value_return* will be stored.

DESCRIPTION

XtGetSelectionParameters may only be called from within an **XtConvertSelectionProc** or from within the last call to an **XtConvertSelectionIncrProc** with a new *request_id*.

SEE ALSO

XtSetSelectionParameters(3)
X Toolkit Intrinsics - C Language Interface
Xlib - C Language X Interface