

NAME

XtNextEvent, XtPending, XtPeekEvent, XtProcessEvent, XtMainLoop - query and process events and input

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
void XtNextEvent(XEvent *event_return);
```

```
Boolean XtPeekEvent(XEvent *event_return);
```

```
Boolean XtPending(void);
```

```
void XtProcessEvent(XtInputMask mask);
```

```
void XtMainLoop(void);
```

ARGUMENTS

- event* Specifies a pointer to the event structure that is to be dispatched to the appropriate event handler.
- event_return* Returns the event information to the specified event structure.
- mask* Specifies what types of events to process. The mask is the bitwise inclusive OR of any combination of **XtIMXEvent**, **XtIMTimer**, **XtIMAlternateInput**, and **XtIMSignal**. As a convenience, the X Toolkit defines the symbolic name **XtIMAll** to be the bitwise inclusive OR of all event types.

DESCRIPTION

XtNextEvent has been replaced by **XtAppNextEvent**.

XtPeekEvent has been replaced by **XtAppPeekEvent**.

XtPending has been replaced by **XtAppPending**.

XtProcessEvent has been replaced by **XtAppProcessEvent**.

XtMainLoop has been replaced by **XtAppMainLoop**.

SEE ALSO

XtAppNextEvent(3xt), XtAppPending(3), XtAppPeekEvent(3), XtAppProcessEvent(3),
XtAppMainLoop(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface