

NAME

__iconv_get_list, **__iconv_free_list** - retrieving a list of character encodings supported by iconv(3)

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <iconv.h>
```

int

```
__iconv_get_list(char ***names, size_t count, bool paired);
```

void

```
__iconv_free_list(char **names, size_t count);
```

DESCRIPTION

The **__iconv_get_list**() function obtains a list of character encodings that are supported by the iconv(3) call. The list of the encoding names will be stored in *names* and the number of the entries is stored in *count*. If the *paired* variable is true, the list will be arranged into canonical/alias name pairs.

The **__iconv_free_list**() function is to free the allocated memory during the call of **__iconv_get_list**().

RETURN VALUES

Upon successful completion **__iconv_get_list**() returns 0 and set the *names* and *count* arguments.

Otherwise, -1 is returned and *errno* is set to indicate the error.

SEE ALSO

iconv(3), iconvlist(3)

STANDARDS

The **__iconv_get_list** and **__iconv_free_list** functions are non-standard interfaces, which appeared in the implementation of the Citrus Project. The iconv implementation of the Citrus Project was adopted in FreeBSD 9.0.

AUTHORS

This manual page was written by Gabor Kovesdan <gabor@FreeBSD.org>.