

NAME

acl_get_fd, **acl_get_fd_np**, **acl_get_file**, **acl_get_link_np** - get an ACL for a file

LIBRARY

Standard C Library (libc, -lc)

SYNOPSIS

```
#include <sys/types.h>
```

```
#include <sys/acl.h>
```

```
acl_t
```

```
acl_get_fd(int fd);
```

```
acl_t
```

```
acl_get_fd_np(int fd, acl_type_t type);
```

```
acl_t
```

```
acl_get_file(const char *path_p, acl_type_t type);
```

```
acl_t
```

```
acl_get_link_np(const char *path_p, acl_type_t type);
```

DESCRIPTION

The **acl_get_fd()**, **acl_get_file()**, **acl_get_link_np()**, and **acl_get_fd_np()** each allow the retrieval of an ACL from a file. The **acl_get_fd()** is a POSIX.1e call that allows the retrieval of an ACL of type `ACL_TYPE_ACCESS` from a file descriptor. The **acl_get_fd_np()** function is a non-portable form of **acl_get_fd()** that allows the retrieval of any type of ACL from a file descriptor. The **acl_get_file()** function is a POSIX.1e call that allows the retrieval of a specified type of ACL from a file by name; **acl_get_link_np()** is a non-portable variation on **acl_get_file()** which does not follow a symlink if the target of the call is a symlink.

These functions may cause memory to be allocated. The caller should free any releasable memory, when the new ACL is no longer required, by calling **acl_free(3)** with the *(void *)acl_t* as an argument.

The ACL in the working storage is an independent copy of the ACL associated with the object referred to by *fd*. The ACL in the working storage shall not participate in any access control decisions.

Valid values for the *type* argument are:

`ACL_TYPE_ACCESS` POSIX.1e access ACL

ACL_TYPE_DEFAULT POSIX.1e default ACL
ACL_TYPE_NFS4 NFSv4 ACL

The ACL returned will be branded accordingly.

IMPLEMENTATION NOTES

FreeBSD's support for POSIX.1e interfaces and features is still under development at this time.

RETURN VALUES

Upon successful completion, the function shall return a pointer to the ACL that was retrieved. Otherwise, a value of *(acl_t)NULL* shall be returned, and *errno* shall be set to indicate the error.

ERRORS

If any of the following conditions occur, the **acl_get_fd()** function shall return a value of *(acl_t)NULL* and set *errno* to the corresponding value:

- [EACCES] Search permission is denied for a component of the path prefix, or the object exists and the process does not have appropriate access rights.
- [EBADF] The *fd* argument is not a valid file descriptor.
- [EINVAL] The ACL type passed is invalid for this file object.
- [ENAMETOOLONG] A component of a pathname exceeded 255 characters, or an entire path name exceeded 1023 characters.
- [ENOENT] The named object does not exist, or the *path_p* argument points to an empty string.
- [ENOMEM] Insufficient memory available to fulfill request.
- [EOPNOTSUPP] The file system does not support ACL retrieval.

SEE ALSO

[acl\(3\)](#), [acl_free\(3\)](#), [acl_get\(3\)](#), [acl_get_brand_np\(3\)](#), [acl_set\(3\)](#), [posix1e\(3\)](#)

STANDARDS

POSIX.1e is described in IEEE POSIX.1e draft 17. Discussion of the draft continues on the cross-platform POSIX.1e implementation mailing list. To join this list, see the FreeBSD POSIX.1e

implementation page for more information.

HISTORY

POSIX.1e support was introduced in FreeBSD 4.0, and development continues.

AUTHORS

Robert N M Watson