

NAME

asn1_der_decoding - API function

SYNOPSIS

```
#include <libtasn1.h>
```

```
int asn1_der_decoding(asn1_node * element, const void * nder, int nder_len, char * errorDescription);
```

ARGUMENTS

asn1_node * element

pointer to an ASN1 structure.

const void * nder

vector that contains the DER encoding.

int nder_len number of bytes of * nder : nder [0].. nder [len-1].

char * errorDescription

null-terminated string contains details when an error occurred.

DESCRIPTION

Fill the structure * *element* with values of a DER encoding string. The structure must just be created with function **asn1_create_element()**.

Note that the * *element* variable is provided as a pointer for historical reasons.

RETURNS

ASN1_SUCCESS if DER encoding OK, **ASN1_ELEMENT_NOT_FOUND** if *ELEMENT* is **NULL**, and **ASN1_TAG_ERROR** or **ASN1_DER_ERROR** if the der encoding doesn't match the structure name (* *ELEMENT* deleted).

COPYRIGHT

Copyright (C) 2006-2022 Free Software Foundation, Inc..

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libtasn1** is maintained as a Texinfo manual. If the **info** and **libtasn1** programs are properly installed at your site, the command

info libtasn1

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libtasn1/manual/>