

NAME

asn1_get_bit_der - API function

SYNOPSIS

```
#include <libtasn1.h>
```

```
int asn1_get_bit_der(const unsigned char * der, int der_len, int * ret_len, unsigned char * str, int str_size, int * bit_len);
```

ARGUMENTS

const unsigned char * der

DER data to decode containing the BIT SEQUENCE.

int der_len Length of DER data to decode.

int * ret_len Output variable containing the length of the DER data.

unsigned char * str

Pre-allocated output buffer to put decoded BIT SEQUENCE in.

int str_size Length of pre-allocated output buffer.

int * bit_len Output variable containing the size of the BIT SEQUENCE.

DESCRIPTION

Extract a BIT SEQUENCE from DER data.

RETURNS

ASN1_SUCCESS on success, or an error.

COPYRIGHT

Copyright (C) 2006-2022 Free Software Foundation, Inc..

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **libtasn1** is maintained as a Texinfo manual. If the **info** and **libtasn1** programs are properly installed at your site, the command

info libtasn1

should give you access to the complete manual. As an alternative you may obtain the manual from:

<https://www.gnu.org/software/libtasn1/manual/>