

**NAME**

**buf\_ring**, **buf\_ring\_alloc**, **buf\_ring\_free**, **buf\_ring\_enqueue**, **buf\_ring\_dequeue\_mc**,  
**buf\_ring\_dequeue\_sc**, **buf\_ring\_count**, **buf\_ring\_empty**, **buf\_ring\_full**, **buf\_ring\_peek** - multi-producer,  
{single, multi}-consumer lock-less ring buffer

**SYNOPSIS**

```
#include <sys/param.h>
```

```
#include <sys/buf_ring.h>
```

```
struct buf_ring *
```

```
buf_ring_alloc(int count, struct malloc_type *type, int flags, struct mtx *sc_lock);
```

```
void
```

```
buf_ring_free(struct buf_ring *br, struct malloc_type *type);
```

```
int
```

```
buf_ring_enqueue(struct buf_ring *br, void *buf);
```

```
void *
```

```
buf_ring_dequeue_mc(struct buf_ring *br);
```

```
void *
```

```
buf_ring_dequeue_sc(struct buf_ring *br);
```

```
int
```

```
buf_ring_count(struct buf_ring *br);
```

```
int
```

```
buf_ring_empty(struct buf_ring *br);
```

```
int
```

```
buf_ring_full(struct buf_ring *br);
```

```
void *
```

```
buf_ring_peek(struct buf_ring *br);
```

**DESCRIPTION**

The **buf\_ring** functions provide a lock-less multi-producer and lock-less multi-consumer as well as single-consumer ring buffer.

The **buf\_ring\_alloc()** function is used to allocate a buf\_ring ring buffer with *count* slots using malloc\_type *type* and memory flags *flags*. The single consumer interface is protected by *sc\_lock*.

The **buf\_ring\_free()** function is used to free a buf\_ring. The user is responsible for freeing any enqueued items.

The **buf\_ring\_enqueue()** function is used to enqueue a buffer to a buf\_ring.

The **buf\_ring\_dequeue\_mc()** function is a multi-consumer safe way of dequeuing elements from a buf\_ring.

The **buf\_ring\_dequeue\_sc()** function is a single-consumer interface to dequeue elements - requiring the user to serialize accesses with a lock.

The **buf\_ring\_count()** function returns the number of elements in a buf\_ring.

The **buf\_ring\_empty()** function returns TRUE if the buf\_ring is empty, FALSE otherwise.

The **buf\_ring\_full()** function returns TRUE if no more items can be enqueued, FALSE otherwise.

The **buf\_ring\_peek()** function returns a pointer to the last element in the buf\_ring if the buf\_ring is not empty, NULL otherwise.

## RETURN VALUES

The **buf\_ring\_enqueue()** function return ENOBUFS if there are no available slots in the buf\_ring.

## HISTORY

These functions were introduced in FreeBSD 8.0.