

NAME

start_color, **has_colors**, **can_change_color**, **init_pair**, **init_color**, **init_extended_pair**, **init_extended_color**, **color_content**, **pair_content**, **extended_color_content**, **extended_pair_content**, **reset_color_pairs**, **COLOR_PAIR**, **PAIR_NUMBER**, **COLORS**, **COLOR_PAIRS**, **COLOR_BLACK**, **COLOR_RED**, **COLOR_GREEN**, **COLOR_YELLOW**, **COLOR_BLUE**, **COLOR_MAGENTA**, **COLOR_CYAN**, **COLOR_WHITE** - manipulate terminal colors with *curses*

SYNOPSIS

```
#include <curses.h>

/* variables */
int COLOR_PAIRS;
int COLORS;

int start_color(void);

bool has_colors(void);
bool can_change_color(void);

int init_pair(short pair, short f, short b);
int init_color(short color, short r, short g, short b);
/* extensions */
int init_extended_pair(int pair, int f, int b);
int init_extended_color(int color, int r, int g, int b);

int color_content(short color, short *r, short *g, short *b);
int pair_content(short pair, short *f, short *b);
/* extensions */
int extended_color_content(int color, int *r, int *g, int *b);
int extended_pair_content(int pair, int *f, int *b);

/* extension */
void reset_color_pairs(void);

int COLOR_PAIR(int n);
PAIR_NUMBER(int attr);
```

DESCRIPTION**Overview**

curses supports color attributes on terminals with that capability. Call **start_color** (typically right after

initscr(3X) to enable this feature. Colors are always used in pairs. A *color pair* couples a foreground color for characters with a background color for the blank field on which characters are rendered.

init_pair initializes a color pair. The macro **COLOR_PAIR**(*n*) can then convert the pair to a video attribute.

If a terminal has the relevant capability, **init_color** permits (re)definition of a color. **has_colors** and **can_change_color** return **TRUE** or **FALSE**, depending on whether the terminal has color capability and whether the programmer can change the colors. **color_content** permits extraction of the red, green, and blue components of an initialized color. **pair_content** permits discovery of a color pair's current definition.

Rendering

curses combines the following data to render a character cell. Any of them can include color information.

- ⊕ *curses* character attributes, as from **waddch(3X)** or **wadd_wch(3X)**
- ⊕ window attributes, as from **wattrset(3X)** or **wattr_set(3X)**
- ⊕ window background character attributes, as from **wbkgdset(3X)** or **wbkgrndset(3X)**

Per-character and window attributes are usually set through a function parameter containing attributes including a color pair value. Some functions, such as **wattr_set**, use a separate color pair number parameter.

The background character is a special case: it includes a character code, just as if it were passed to **waddch**.

The *curses* library does the actual work of combining these color pairs in an internal function called from **waddch**:

- ⊕ If the parameter passed to **waddch** is *blank*, and it uses the special color pair 0,
 - ⊕ *curses* next checks the window attribute.
 - ⊕ If the window attribute does not use color pair 0, *curses* uses the color pair from the window attribute.
 - ⊕ Otherwise, *curses* uses the background character.

- ⊕ If the parameter passed to **waddch** is *not blank*, or it does not use the special color pair 0, *curses* prefers the color pair from the parameter, if it is nonzero. Otherwise, it tries the window attribute next, and finally the background character.

Some *curses* functions such as **wprintw** call **waddch**. Those do not combine its parameter with a color pair. Consequently those calls use only the window attribute or the background character.

CONSTANTS

In `<curses.h>` the following macros are defined. These are the standard colors (ISO-6429). *curses* also assumes that **COLOR_BLACK** is the default background color for all terminals.

COLOR_BLACK
COLOR_RED
COLOR_GREEN
COLOR_YELLOW
COLOR_BLUE
COLOR_MAGENTA
COLOR_CYAN
COLOR_WHITE

Some terminals support more than the eight (8) "ANSI" colors. There are no standard names for those additional colors.

VARIABLES

COLORS

is initialized by **start_color** to the maximum number of colors the terminal can support.

COLOR_PAIRS

is initialized by **start_color** to the maximum number of color pairs the terminal can support. Often, its value is the product **COLORS** x **COLORS**, but this is not always true.

- ⊕ A few terminals use the HLS color space (see **start_color** below), ignoring this rule; and
- ⊕ terminals supporting a large number of colors are limited to the number of color pairs that a *signed short* value can represent.

FUNCTIONS

start_color

The **start_color** routine requires no arguments. It must be called if the programmer wants to use colors, and before any other color manipulation routine is called. It is good practice to call this routine right

after **initscr**. **start_color** does this:

- ⊕ It initializes two global variables, **COLORS** and **COLOR_PAIRS** (respectively defining the maximum number of colors and color pairs the terminal can support).
- ⊕ It initializes the special color pair **0** to the default foreground and background colors. No other color pairs are initialized.
- ⊕ It restores the colors on the terminal to the values they had when the terminal was just turned on.
- ⊕ If the terminal supports the **initc** (**initialize_color**) capability, **start_color** initializes its internal table representing the red, green, and blue components of the color palette.

The components depend on whether the terminal uses CGA (aka "ANSI") or HLS (i.e., the **hls** (**hue_lightness_saturation**) capability is set). The table is initialized first for eight basic colors (black, red, green, yellow, blue, magenta, cyan, and white), using weights that depend upon the CGA/HLS choice. For "ANSI" colors the weights are **680** or **0** depending on whether the corresponding red, green, or blue component is used or not. That permits using **1000** to represent bold/bright colors. After the initial eight colors (if the terminal supports more than eight colors) the components are initialized using the same pattern, but with weights of **1000**. SVr4 uses a similar scheme, but uses **1000** for the components of the initial eight colors.

start_color does not attempt to set the terminal's color palette to match its built-in table. An application may use **init_color** to alter the internal table along with the terminal's color.

These limits apply to color values and color pairs. Values outside these limits are not valid, and may result in a runtime error:

- ⊕ **COLORS** corresponds to the terminal database's **max_colors** capability, (see **terminfo(5)**).
- ⊕ color values are expected to be in the range **0** to **COLORS-1**, inclusive (including **0** and **COLORS-1**).
- ⊕ a special color value **-1** is used in certain extended functions to denote the *default color* (see **use_default_colors(3X)**).
- ⊕ **COLOR_PAIRS** corresponds to the terminal database's **max_pairs** capability, (see **terminfo(5)**).
- ⊕ valid color pair values are in the range **1** to **COLOR_PAIRS-1**, inclusive.

- ⊕ color pair **0** is special; it denotes "no color".

Color pair **0** is assumed to be white on black, but is actually whatever the terminal implements before color is initialized. It cannot be modified by the application.

has_colors

The **has_colors** routine requires no arguments. It returns **TRUE** if the terminal can manipulate colors; otherwise, it returns **FALSE**. This routine facilitates writing terminal-independent programs. For example, a programmer can use it to decide whether to use color or some other video attribute.

can_change_color

The **can_change_color** routine requires no arguments. It returns **TRUE** if the terminal supports colors and can change their definitions; other, it returns **FALSE**. This routine facilitates writing terminal-independent programs.

init_pair

The **init_pair** routine changes the definition of a color pair. It takes three arguments: the number of the color pair to be changed, the foreground color number, and the background color number. For portable applications:

- ⊕ The first argument must be a valid color pair value. If default colors are used (see **use_default_colors(3X)**) the upper limit is adjusted to allow for extra pairs which use a default color in foreground and/or background.
- ⊕ The second and third arguments must be valid color values.

If the color pair was previously initialized, the screen is refreshed and all occurrences of that color pair are changed to the new definition.

As an extension, *ncurses* allows you to set color pair **0** via the **assume_default_colors(3X)** routine, or to specify the use of default colors (color number **-1**) if you first invoke the **use_default_colors(3X)** routine.

init_extended_pair

Because **init_pair** uses signed **shorts** for its parameters, that limits color pairs and color-values to 32767 on modern hardware. The extension **init_extended_pair** uses **ints** for the color pair and color-value, allowing a larger number of colors to be supported.

init_color

The **init_color** routine changes the definition of a color. It takes four arguments: the number of the

color to be changed followed by three RGB values (for the amounts of red, green, and blue components).

- ⊕ The first argument must be a valid color value; default colors are not allowed here. (See the section **Colors** for the default color index.)
- ⊕ Each of the last three arguments must be a value in the range **0** through **1000**.

When **init_color** is used, all occurrences of that color on the screen immediately change to the new definition.

init_extended_color

Because **init_color** uses signed **shorts** for its parameters, that limits color-values and their red, green, and blue components to 32767 on modern hardware. The extension **init_extended_color** uses **ints** for the color value and for setting the red, green, and blue components, allowing a larger number of colors to be supported.

color_content

The **color_content** routine gives programmers a way to find the intensity of the red, green, and blue (RGB) components in a color. It requires four arguments: the color number, and three addresses of **shorts** for storing the information about the amounts of red, green, and blue components in the given color.

- ⊕ The first argument must be a valid color value, i.e., **0** through **COLORS-1**, inclusive.
- ⊕ The values that are stored at the addresses pointed to by the last three arguments are in the range **0** (no component) through **1000** (maximum amount of component), inclusive.

extended_color_content

Because **color_content** uses signed **shorts** for its parameters, that limits color-values and their red, green, and blue components to 32767 on modern hardware. The extension **extended_color_content** uses **ints** for the color value and for returning the red, green, and blue components, allowing a larger number of colors to be supported.

pair_content

The **pair_content** routine allows programmers to find out what colors a given color pair consists of. It requires three arguments: the color pair number, and two addresses of **shorts** for storing the foreground and the background color numbers.

- ⊕ The first argument must be a valid color value, i.e., in the range **1** through **COLOR_PAIRS-1**,

inclusive.

- ⊕ The values that are stored at the addresses pointed to by the second and third arguments are in the range **0** through **COLORS**, inclusive.

extended_pair_content

Because **pair_content** uses signed **shorts** for its parameters, that limits color pair and color-values to 32767 on modern hardware. The extension **extended_pair_content** uses **ints** for the color pair and for returning the foreground and background colors, allowing a larger number of colors to be supported.

reset_color_pairs

The extension **reset_color_pairs** tells *ncurses* to discard all of the color pair information which was set with **init_pair**. It also touches the current- and standard-screens, allowing an application to switch color palettes rapidly.

COLOR_PAIR

COLOR_PAIR(*n*) converts a color pair number to an attribute. Attributes can hold color pairs in the range 0 to 255. If you need a color pair larger than that, you must use functions such as **attr_set** (which pass the color pair as a separate parameter) rather than the legacy functions such as **attrset**.

PAIR_NUMBER

PAIR_NUMBER(*attr*) extracts the color information from its *attr* parameter and returns it as a color pair number; it is the inverse operation of **COLOR_PAIR**.

RETURN VALUE

The routines **can_change_color** and **has_colors** return **TRUE** or **FALSE**.

All other routines return the integer **ERR** upon failure and an **OK** (SVr4 specifies only "an integer value other than **ERR**") upon successful completion.

X/Open defines no error conditions. SVr4 does document some error conditions which apply in general:

- ⊕ This implementation will return **ERR** on attempts to use color values outside the range **0** to **COLORS-1** (except for the default colors extension), or use color pairs outside the range **0** to **COLOR_PAIRS-1**.

Color values used in **init_color** must be in the range **0** to **1000**.

An error is returned from all functions if the terminal has not been initialized.

An error is returned from secondary functions such as **init_pair** if **start_color** was not called.

- ⊕ SVr4 does much the same, except that it returns **ERR** from **pair_content** if the pair was not initialized using **init_pairs** and it returns **ERR** from **color_content** if the terminal does not support changing colors.

This implementation does not return **ERR** for either case.

Specific functions make additional checks:

init_color

returns an error if the terminal does not support this feature, e.g., if the **initialize_color** capability is absent from the terminal description.

start_color

returns an error if the color table cannot be allocated.

NOTES

In the *ncurses* implementation, there is a separate color activation flag, color palette, color pairs table, and associated **COLORS** and **COLOR_PAIRS** counts for each screen; the **start_color** function only affects the current screen. The SVr4/XSI interface is not really designed with this in mind, and historical implementations may use a single shared color palette.

Setting an implicit background color via a color pair affects only character cells that a character write operation explicitly touches. To change the background color used when parts of a window are blanked by erasing or scrolling operations, see **curs_bkgd(3X)**.

Several caveats apply on older x86 machines (e.g., i386, i486) with VGA-compatible graphics:

- ⊕ **COLOR_YELLOW** is actually brown. To get yellow, use **COLOR_YELLOW** combined with the **A_BOLD** attribute.
- ⊕ The **A_BLINK** attribute should in theory cause the background to go bright. This often fails to work, and even some cards for which it mostly works (such as the Paradise and compatibles) do the wrong thing when you try to set a bright "yellow" background (you get a blinking yellow foreground instead).
- ⊕ Color RGB values are not settable.

EXTENSIONS

The functions marked as extensions were designed for **ncurses(3X)**, and are not found in SVr4 *curses*, 4.4BSD *curses*, or any other previous *curses* implementation.

PORTABILITY

Applications employing *ncurses* extensions should condition their use on the visibility of the **NCURSES_VERSION** preprocessor macro.

This implementation satisfies X/Open Curses's minimum maximums for **COLORS** and **COLOR_PAIRS**.

The **init_pair** routine accepts negative values of foreground and background color to support the **use_default_colors(3X)** extension, but only if that routine has been first invoked.

The assumption that **COLOR_BLACK** is the default background color for all terminals can be modified using the **assume_default_colors(3X)** extension.

This implementation checks the pointers, e.g., for the values returned by **color_content** and **pair_content**, and will treat those as optional parameters when null.

X/Open Curses does not specify a limit for the number of colors and color pairs which a terminal can support. However, in its use of **short** for the parameters, it carries over SVr4's implementation detail for the compiled terminfo database, which uses signed 16-bit numbers. This implementation provides extended versions of those functions which use **short** parameters, allowing applications to use larger color- and pair-numbers.

The **reset_color_pairs** function is an extension of *ncurses*.

HISTORY

SVr3.2 introduced color support to *curses* in 1987.

SVr4 made internal changes, e.g., moving the storage for the color state from **SP** (the *SCREEN* structure) to **cur_term** (the *TERMINAL* structure), but provided the same set of library functions.

SVr4 *curses* limits the number of color pairs to 64, reserving color pair zero (0) as the terminal's initial uncolored state. This limit arises because the color pair information is a bitfield in the **chtype** data type (denoted by **A_COLOR**).

Other implementations of *curses* had different limits:

- ⊕ PCCurses (1987-1990) provided for only eight (8) colors.

- ⊕ PDCurses (1992-present) inherited the 8-color limitation from PCCurses, but changed this to 256 in version 2.5 (2001), along with changing **chtype** from 16-bits to 32-bits.
- ⊕ X/Open Curses (1992-present) added a new structure **cchar_t** to store the character, attributes and color pair values, allowing increased range of color pairs. Both color pairs and color-values used a signed **short**, limiting values to 15 bits.
- ⊕ *ncurses* (1992-present) uses eight bits for **A_COLOR** in **chtype** values.

Version 5.3 provided a wide-character interface (2002), but left color pairs as part of the attributes-field.

Since version 6 (2015), *ncurses* uses a separate **int** for color pairs in the **cchar_t** values. When those color pair values fit in 8 bits, *ncurses* allows color pairs to be manipulated via the functions using **chtype** values.

- ⊕ NetBSD curses used 6 bits from 2000 (when colors were first supported) until 2004. At that point, NetBSD changed to use 10 bits. As of 2021, that size is unchanged. Like *ncurses* before version 6, the NetBSD color pair information is stored in the attributes field of **cchar_t**, limiting the number of color pairs by the size of the bitfield.

SEE ALSO

curses(3X), **curs_attr(3X)**, **curs_initscr(3X)**, **curs_variables(3X)**, **default_colors(3X)**