

NAME

curl-config - Get information about a libcurl installation

SYNOPSIS

curl-config [**options**]

DESCRIPTION

curl-config displays information about the curl and libcurl installation.

OPTIONS

--ca

Displays the built-in path to the CA cert bundle this libcurl uses.

--cc

Displays the compiler used to build libcurl.

--cflags

Set of compiler options (CFLAGS) to use when compiling files that use libcurl. Currently that is only the include path to the curl include files.

--checkfor [version]

Specify the oldest possible libcurl version string you want, and this script returns 0 if the current installation is new enough or it returns 1 and outputs a text saying that the current version is not new enough. (Added in 7.15.4)

--configure

Displays the arguments given to configure when building curl.

--feature

Lists what particular main features the installed libcurl was built with. At the time of writing, this list may include SSL, KRB4 or IPv6. Do not assume any particular order. The keywords are separated by newlines. There may be none, one, or several keywords in the list.

--help

Displays the available options.

--libs

Shows the complete set of libs and other linker options you need in order to link your application with libcurl.

--prefix

This is the prefix used when libcurl was installed. Libcurl is then installed in \$prefix/lib and its header files are installed in \$prefix/include and so on. The prefix is set with "configure --prefix".

--protocols

Lists what particular protocols the installed libcurl was built to support. At the time of writing, this list may include HTTP, HTTPS, FTP, FTPS, FILE, TELNET, LDAP, DICT and many more. Do not assume any particular order. The protocols are listed using uppercase and are separated by newlines. There may be none, one, or several protocols in the list. (Added in 7.13.0)

--ssl-backends

Lists the SSL backends that were enabled when libcurl was built. It might be no, one or several names. If more than one name, they appear comma-separated. (Added in 7.58.0)

--static-libs

Shows the complete set of libs and other linker options you need in order to link your application with libcurl statically. (Added in 7.17.1)

--version

Outputs version information about the installed libcurl.

--vernum

Outputs version information about the installed libcurl, in numerical mode. This shows the version number, in hexadecimal, using 8 bits for each part: major, minor, and patch numbers. This makes libcurl 7.7.4 appear as 070704 and libcurl 12.13.14 appear as 0c0d0e... Note that the initial zero might be omitted. (This option was broken in the 7.15.0 release.)

EXAMPLES

What linker options do I need when I link with libcurl?

```
$ curl-config --libs
```

What compiler options do I need when I compile using libcurl functions?

```
$ curl-config --cflags
```

How do I know if libcurl was built with SSL support?

```
$ curl-config --feature | grep SSL
```

What's the installed libcurl version?

```
$ curl-config --version
```

How do I build a single file with a one-line command?

```
$ 'curl-config --cc --cflags' -o example source.c 'curl-config --libs'
```

SEE ALSO

curl(1)