

NAME

border_set, **wborder_set**, **box_set**, **hline_set**, **whline_set**, **mvhline_set**, **mvvhline_set**, **vline_set**, **wvline_set**, **mvvline_set**, **mvwvline_set** - draw borders and lines in a *curses* window of wide characters

SYNOPSIS

```
#include <curses.h>
```

```
int border_set(
    const cchar_t *ls, const cchar_t *rs,
    const cchar_t *ts, const cchar_t *bs,
    const cchar_t *tl, const cchar_t *tr,
    const cchar_t *bl, const cchar_t *br);
int wborder_set(
    WINDOW *win,
    const cchar_t *ls, const cchar_t *rs,
    const cchar_t *ts, const cchar_t *bs,
    const cchar_t *tl, const cchar_t *tr,
    const cchar_t *bl, const cchar_t *br);
int box_set(
    WINDOW *win,
    const cchar_t *verch,
    const cchar_t *horch);
int hline_set(
    const cchar_t *wch, int n);
int whline_set(
    WINDOW *win,
    const cchar_t *wch, int n);
int mvhline_set(
    int y, int x,
    const cchar_t *wch, int n);
int mvvhline_set(
    WINDOW *win,
    int y, int x,
    const cchar_t *wch, int n);
int vline_set(
    const cchar_t *wch, int n);
int wvline_set(
    WINDOW *win,
    const cchar_t *wch, int n);
int mvvline_set(
```

```

int y, int x,
const cchar_t *wch, int n);
int mvwvline_set(
    WINDOW *win,
    int y, int x,
    const cchar_t *wch, int n);

```

DESCRIPTION

The **border_set** and **wborder_set** functions draw a border around the edges of the current or specified window. These functions do not change the cursor position, and do not wrap.

Other than the window, each argument is a complex character with attributes:

- ls* - left side,
- rs* - right side,
- ts* - top side,
- bs* - bottom side,
- tl* - top left-hand corner,
- tr* - top right-hand corner,
- bl* - bottom left-hand corner, and
- br* - bottom right-hand corner.

If any of these arguments is zero, then the corresponding default values (defined in **curses.h**) are used instead:

- WACS_VLINE**,
- WACS_VLINE**,
- WACS_HLINE**,
- WACS_HLINE**,
- WACS_ULCORNER**,
- WACS_URCORNER**,
- WACS_LLCORNER**, and
- WACS_LRCORNER**.

box_set(*win*, *verch*, *horch*); is a shorthand for the following call:

```

wborder_set(win, verch, verch,
horch, horch, NULL, NULL, NULL, NULL);

```

The ***line_set** functions use *wch* to draw a line starting at the current cursor position in the window. The line is at most *n* characters long or as many as fit into the window. The current cursor position is not changed.

The **hline_set**, **mvhline_set**, **mvwhline_set**, and **whline_set** functions draw a line proceeding toward the last column of the same line.

The **vline_set**, **mvvline_set**, **mvwvline_set**, and **wvline_set** functions draw a line proceeding toward the last line of the window.

RETURN VALUE

Upon successful completion, these functions return **OK**. Otherwise, they return **ERR**.

Functions using a window parameter return an error if it is null.

Functions prefixed with "mv" first perform cursor movement and fail if the position (y, x) is outside the window boundaries.

NOTES

Note that **border_set**, **hline_set**, **mvhline_set**, **mvvline_set**, **mvwhline_set**, **mvwvline_set**, and **vline_set** may be macros.

PORABILITY

These functions are described in X/Open Curses, Issue 4.

SEE ALSO

[curses\(3X\)](#), [curs_add_wch\(3X\)](#), [curs_border\(3X\)](#), [curs_outopts\(3X\)](#)