

NAME

printw, **wprintw**, **mvprintw**, **mvwprintw**, **vwprintw**, **vw_printw** - write formatted output to a *curses* window

SYNOPSIS

```
#include <curses.h>
```

```
int printw(const char *fmt, ...);
```

```
int wprintw(WINDOW *win, const char *fmt, ...);
```

```
int mvprintw(int y, int x, const char *fmt, ...);
```

```
int mvwprintw(WINDOW *win, int y, int x, const char *fmt, ...);
```

```
int vw_printw(WINDOW *win, const char *fmt, va_list varglist);
```

```
/* obsolete */
```

```
int vwprintw(WINDOW *win, const char *fmt, va_list varglist);
```

DESCRIPTION

printw, **wprintw**, **mvprintw**, and **mvwprintw** are analogous to *printf(3)*. In effect, the string that would be output by *printf(3)* is instead output as though **waddstr(3X)** were used with *win* (or **stdscr**) as its first argument.

vwprintw and **vw_printw** are analogous to *vprintf(3)*, and perform a **wprintw** using a variable argument list. The third argument is a *va_list*, a pointer to a list of arguments, as defined in *stdarg.h*.

RETURN VALUE

These functions return **ERR** upon failure and **OK** upon success.

In *ncurses*, failure occurs if the library cannot allocate enough memory for the buffer into which the output is formatted, or if the window pointer *win* is null.

Functions prefixed with "mv" first perform cursor movement and fail if the position (*y*, *x*) is outside the window boundaries.

NOTES

No wide character counterpart functions are defined by the "wide" *ncurses* configuration nor by any standard. To format and write a wide-character string to a *curses* window, consider using *swprintf(3)* and **waddwstr(3X)** or similar.

PORTABILITY

X/Open Curses, Issue 4 describes these functions. It specifies no error conditions for them.

ncurses defines **vw_printw** and **vwprintw** identically to support legacy applications. However, the latter is obsolete.

- ⊕ X/Open Curses, Issue 4 Version 2 (1996), marked **vwprintw** as requiring *varargs.h* and "TO BE WITHDRAWN", and specified **vw_printw** using the *stdarg.h* interface.
- ⊕ X/Open Curses, Issue 5, Draft 2 (December 2007) marked **vwprintw** (along with **vwscanw** and the *termcap* interface) as withdrawn. After incorporating review comments, this became X/Open Curses, Issue 7 (2009).
- ⊕ *ncurses* provides **vwprintw**, but marks it as deprecated.

HISTORY

While **printw** was implemented in 4BSD (November 1980), it was unused until 4.2BSD (August 1983), which employed it for games. That early version of *curses* preceded the ANSI C standard of 1989. It did not use *varargs.h*, though that had been available since Seventh Edition Unix (1979). In 1991 (a couple of years after SVr4 was generally available, and after the C standard was published), other developers updated the library, using *stdarg.h* internally in 4.4BSD *curses*. Even with this improvement, BSD *curses* did not use function prototypes (nor even declare functions) in *curses.h* until 1992.

SVr2 (1984) documented **printw** and **wprintw** tersely as "printf on **stdscr**" and "printf on *win*", respectively.

SVr3 (1987) added **mvprintw** and **mvwprintw**, with a three-line summary asserting that they were analogous to *printf(3)*, explaining that the string that *printf(3)* would write to the standard output stream would instead be output using **waddstr** to the given window. SVr3 also implemented **vwprintw**, describing its third parameter as a *va_list*, defined in *varargs.h*, and referred the reader to the manual pages for *varargs* and *vprintf* for detailed descriptions.

SVr4 (1989) introduced no new variations of *printw*, but provided for using either *varargs.h* or *stdarg.h* to define the *va_list* type.

X/Open Curses, Issue 4 (1995), defined **vw_printw** to replace **vwprintw**, stating that its *va_list* type is defined in *stdarg.h*.

SEE ALSO

curses(3X), **curs_addstr(3X)**, **curs_scanw(3X)**, **printf(3)**, **vprintf(3)**