### NAME

newwin, delwin, mvwin, subwin, derwin, mvderwin, dupwin, wsyncup, syncok, wcursyncup, wsyncdown - create and manipulate *curses* windows

## SYNOPSIS

#include <curses.h>

## WINDOW \*newwin(

int nlines, int ncols, int begin\_y, int begin\_x); int delwin(WINDOW \*win); **int mvwin(WINDOW** \**win*, **int** *y*, **int** *x*); WINDOW \*subwin(WINDOW \*orig, int nlines, int ncols, int begin y, int begin x); WINDOW \*derwin(WINDOW \*orig. int nlines, int ncols, int begin\_y, int begin\_x); int mvderwin(WINDOW \*win, int par\_y, int par\_x); WINDOW \*dupwin(WINDOW \*win); void wsyncup(WINDOW \*win); int syncok(WINDOW \*win, bool bf); void wcursyncup(WINDOW \*win); void wsyncdown(WINDOW \*win);

## DESCRIPTION

## newwin

Calling **newwin** creates and returns a pointer to a new window with the given number of lines and columns. The upper left-hand corner of the window is at

line *begin\_y*, column *begin\_x* 

If either *nlines* or *ncols* is zero, they default to

**LINES -** *begin\_y* and **COLS -** *begin\_x*.

A new full-screen window is created by calling **newwin(0,0,0,0)**.

Regardless of the function used for creating a new window (e.g., **newwin**, **subwin**, **derwin**, **newpad**), rather than a duplicate (with **dupwin**), all of the window modes are initialized to the default values.

These functions set window modes after a window is created:

idcok idlok immedok keypad leaveok nodelay scrollok setscrreg syncok wbkgdset wbkgrndset and wtimeout.

### delwin

Calling **delwin** deletes the named window, freeing all memory associated with it (it does not actually erase the window's screen image). Subwindows must be deleted before the main window can be deleted.

### mvwin

Calling **mvwin** moves the window so that the upper left-hand corner is at position (x, y). If the move would cause the window to be off the screen, it is an error and the window is not moved. Moving subwindows is allowed, but should be avoided.

### subwin

Calling **subwin** creates and returns a pointer to a new window with the given number of lines, *nlines*, and columns, *ncols*. The window is at position (*begin\_y*, *begin\_x*) on the screen. The subwindow shares memory with the window *orig*, its *ancestor*, so that changes made to one window will affect both windows. When using this routine, it is necessary to call **touchwin** or **touchline** on *orig* before calling **wrefresh** on the subwindow.

#### derwin

Calling **derwin** is the same as calling **subwin**, except that *begin\_y* and *begin\_x* are relative to the origin of the window *orig* rather than the screen. There is no difference between the subwindows and the derived windows.

#### mvderwin

Calling **mvderwin** moves a derived window (or subwindow) inside its parent window. The screenrelative parameters of the window are not changed. This routine is used to display different parts of the parent window at the same physical position on the screen.

## dupwin

Calling **dupwin** creates an exact duplicate of the window *win*.

### wsyncup

Calling **wsyncup** touches all locations in ancestors of *win* that are changed in *win*. If **syncok** is called with second argument **TRUE** then **wsyncup** is called automatically whenever there is a change in the window.

### wsyncdown

The **wsyncdown** routine touches each location in *win* that has been touched in any of its ancestor windows. This routine is called by **wrefresh**, so it should almost never be necessary to call it manually.

### wcursyncup

The routine **wcursyncup** updates the current cursor position of all the ancestors of the window to reflect the current cursor position of the window.

## **RETURN VALUE**

Routines that return an integer return the integer **ERR** upon failure and **OK** (SVr4 only specifies "an integer value other than **ERR**") upon successful completion.

Routines that return pointers return NULL on error.

X/Open defines no error conditions. In this implementation

#### delwin

returns an error if the window pointer is null, or if the window is the parent of another window.

#### derwin

returns an error if the parent window pointer is null, or if any of its ordinates or dimensions is negative, or if the resulting window does not fit inside the parent window.

#### dupwin

returns an error if the window pointer is null.

This implementation also maintains a list of windows, and checks that the pointer passed to **delwin** is one that it created, returning an error if it was not..

#### mvderwin

returns an error if the window pointer is null, or if some part of the window would be placed offscreen.

#### mvwin

returns an error if the window pointer is null, or if the window is really a pad, or if some part of the window would be placed off-screen.

#### newwin

will fail if either of its beginning ordinates is negative, or if either the number of lines or columns is negative.

### syncok

returns an error if the window pointer is null.

### subwin

returns an error if the parent window pointer is null, or if any of its ordinates or dimensions is negative, or if the resulting window does not fit inside the parent window.

The functions which return a window pointer may also fail if there is insufficient memory for its data structures. Any of these functions will fail if the screen has not been initialized, i.e., with **initscr** or **newterm**.

## NOTES

If many small changes are made to the window, the **wsyncup** option could degrade performance.

Note that **syncok** may be a macro.

## PORTABILITY

X/Open Curses, Issue 4 describes these functions.

X/Open Curses states regarding **delwin**:

- It must delete subwindows before deleting their parent.
- ✤ If delwin is asked to delete a parent window, it can only succeed if the curses library keeps a list of the subwindows. SVr4 curses kept a count of the number of subwindows rather than a list. It simply returned ERR when asked to delete a subwindow. Solaris X/Open curses does not even make that check, and will delete a parent window which still has subwindows.
- ✤ Since release 4.0 (1996), *ncurses* maintains a list of windows for each screen, to ensure that a window has no subwindows before allowing deletion.
- NetBSD copied this feature of *ncurses* in 2003.
  PDCurses follows the scheme used in Solaris X/Open curses.

## BUGS

The subwindow functions **subwin**, **derwin**, **mvderwin**, **wsyncup**, **wsyncdown**, **wcursyncup**, and **syncok** are flaky, incompletely implemented, and not well tested.

System V's *curses* documentation is unclear about what **wsyncup** and **wsyncdown** actually do. It seems to imply that they are supposed to touch only those lines that are affected by changes to a

window's ancestors. The language here, and behavior of *ncurses*, is patterned on the X/Open Curses standard; this approach may result in slower updates.

# SEE ALSO

curses(3X), curs\_initscr(3X), curs\_refresh(3X), curs\_touch(3X), curs\_variables(3X)