

NAME

dwarf_add_AT_signed_const, **dwarf_add_AT_unsigned_const** - create and attach constant class attributes

LIBRARY

DWARF Access Library (libdwarf, -ldwarf)

SYNOPSIS

```
#include <libdwarf.h>
```

Dwarf_P_Attribute

```
dwarf_add_AT_signed_const(Dwarf_P_Debug dbg, Dwarf_P_Die die, Dwarf_Half attr,  
    Dwarf_Signed value, Dwarf_Error *err);
```

Dwarf_P_Attribute

```
dwarf_add_AT_unsigned_const(Dwarf_P_Debug dbg, Dwarf_P_Die die, Dwarf_Half attr,  
    Dwarf_Unsigned value, Dwarf_Error *err);
```

DESCRIPTION

These functions create attribute descriptors belonging to the 'constant' class and attach them to the debugging information entry referenced by argument *die*.

Argument *dbg* should reference a DWARF producer instance allocated using `dwarf_producer_init(3)` or `dwarf_producer_init_b(3)`.

Argument *die* should reference a debugging information entry allocated using `dwarf_new_die(3)`.

Argument *attr* specifies the attribute code of the created attribute descriptor.

Function `dwarf_add_AT_signed_const()` creates an attribute descriptor with the signed value specified in argument *value*.

Function `dwarf_add_AT_unsigned_const()` creates an attribute descriptor with the unsigned value specified in argument *value*.

The attribute created by these function will have one of the DWARF forms `DW_FORM_data1`, `DW_FORM_data2`, `DW_FORM_data4` or `DW_FORM_data8`, depending on the size of the value specified in argument *value*.

If argument *err* is not NULL, it will be used by these functions to store error information in case of an

error.

RETURN VALUES

On success, these functions return the created attribute descriptor. In case of an error, these functions return `DW_DLV_BADADDR` and set the argument *err*.

ERRORS

These functions can fail with:

[`DW_DLE_ARGUMENT`] Either of the arguments *dbg* or *die* was `NULL`.

[`DW_DLE_MEMORY`] An out of memory condition was encountered during execution.

SEE ALSO

`dwarf(3)`, `dwarf_add_AT_const_value_signedint(3)`, `dwarf_add_AT_const_value_unsignedint(3)`, `dwarf_add_AT_dataref(3)`, `dwarf_add_AT_ref_address(3)`, `dwarf_add_AT_targ_address_b(3)`, `dwarf_new_die(3)`, `dwarf_producer_init(3)`, `dwarf_producer_init_b(3)`