

**NAME**

**dwarf\_get\_fde\_list** - retrieve frame information

**LIBRARY**

DWARF Access Library (libdwarf, -ldwarf)

**SYNOPSIS**

```
#include <libdwarf.h>
```

*int*

```
dwarf_get_fde_list(Dwarf_Debug dbg, Dwarf_Cie **cie_list, Dwarf_Signed *cie_count,  
Dwarf_Fde **fde_list, Dwarf_Signed *fde_count, Dwarf_Error *err);
```

*int*

```
dwarf_get_fde_list_eh(Dwarf_Debug dbg, Dwarf_Cie **cie_list, Dwarf_Signed *cie_count,  
Dwarf_Fde **fde_list, Dwarf_Signed *fde_count, Dwarf_Error *err);
```

**DESCRIPTION**

These functions retrieve frame related information for the specified DWARF debug context.

Function **dwarf\_get\_fde\_list**() retrieves frame information from the DWARF section named ".debug\_frame". For objects containing GNU style C++ exception handling information, the function **dwarf\_get\_fde\_list\_eh**() retrieves frame information from the section named ".eh\_frame".

Frame information is returned using opaque descriptors of type *Dwarf\_Cie* and *Dwarf\_Fde*. Applications need to use the other frame related functions in the DWARF(3) API set to retrieve the information contained in these descriptors.

Argument *dbg* should reference a DWARF debug context allocated using **dwarf\_init**(3).

Argument *cie\_list* should point to a location that will be set to a pointer to an array of *Dwarf\_Cie* descriptors.

Argument *cie\_count* should point to a location that will be set to the number of *Dwarf\_Cie* descriptors returned.

Argument *fde\_list* should point to a location that will be set to a pointer to an array of *Dwarf\_Fde* descriptors.

Argument *fde\_count* should point to a location that will be set to the number of *Dwarf\_Fde* descriptors

returned.

If argument *err* is not NULL, it will be used to store error information in case of an error.

### Memory Management

The memory areas used for the arrays returned in arguments *cie\_list* and *fde\_list* are owned by the DWARF Access Library (libdwarf, -ldwarf). Application code should not attempt to directly free these areas. Portable applications should instead use the `dwarf_fde_cie_list_dealloc(3)` function to indicate that these memory areas may be freed.

### RETURN VALUES

On success, these functions returns DW\_DLV\_OK. They return DW\_DLV\_NO\_ENTRY if there is no frame information associated with the given DWARF debug context. In case of an error, they return DW\_DLV\_ERROR and set the argument *err*.

### EXAMPLES

To obtain frame information from the ".debug\_frame" section, use:

```
Dwarf_Debug dbg;
Dwarf_Cie *cie_list, cie;
Dwarf_Fde *fde_list, fde;
Dwarf_Off fde_offset, cie_offset;
Dwarf_Unsigned func_len, fde_length, fde_instlen;
Dwarf_Signed cie_count, fde_count, cie_index;
Dwarf_Addr low_pc;
Dwarf_Ptr fde_addr, fde_inst, cie_inst;
Dwarf_Error de;
int i;

if (dwarf_get_fde_list(dbg, &cie_list, &cie_count,
    &fde_list, &fde_count, &de) != DW_DLV_OK) {
    errx(EXIT_FAILURE, "dwarf_get_fde_list failed: %s",
        dwarf_errmsg(de));
}

for (i = 0; i < fde_count; i++) {
    if (dwarf_get_fde_n(fde_list, i, &fde, &de) != DW_DLV_OK) {
        warnx("dwarf_get_fde_n failed: %s",
            dwarf_errmsg(de));
        continue;
    }
}
```

```

    }
    if (dwarf_get_cie_of_fde(fde, &cie, &de) != DW_DLV_OK) {
        warnx("dwarf_get_fde_n failed: %s",
            dwarf_errmsg(de));
        continue;
    }
    if (dwarf_get_fde_range(fde, &low_pc, &func_len, &fde_addr,
        &fde_length, &cie_offset, &cie_index, &fde_offset,
        &de) != DW_DLV_OK) {
        warnx("dwarf_get_fde_range failed: %s",
            dwarf_errmsg(de));
        continue;
    }
    if (dwarf_get_fde_instr_bytes(fde, &fde_inst, &fde_instlen,
        &de) != DW_DLV_OK) {
        warnx("dwarf_get_fde_instr_bytes failed: %s",
            dwarf_errmsg(de));
        continue;
    }
}

/* ... Use the retrieved frame information ... */
}

/* Indicate that the returned arrays may be freed. */
dwarf_fde_cie_list_dealloc(dbg, cie_list, cie_count, fde_list,
    fde_count);

```

## ERRORS

These functions may fail with the following errors:

[DW\_DLE\_ARGUMENT] One of the arguments *dbg*, *cie\_list*, *cie\_count*, *fde\_list* or *fde\_count* was NULL.

[DW\_DLE\_NO\_ENTRY] There is no frame information associated with the giving DWARF debug context.

## SEE ALSO

`dwarf(3)`, `dwarf_fde_cie_list_dealloc(3)`, `dwarf_get_cie_index(3)`, `dwarf_get_cie_of_fde(3)`, `dwarf_get_fde_at_pc(3)`, `dwarf_get_fde_instr_bytes(3)`, `dwarf_get_fde_n(3)`, `dwarf_get_fde_range(3)`, `dwarf_set_frame_cfa_value(3)`, `dwarf_set_frame_rule_initial_value(3)`,

dwarf\_set\_frame\_rule\_table\_size(3), dwarf\_set\_frame\_same\_value(3),  
dwarf\_set\_frame\_undefined\_value(3)