

NAME

feenableexcept, **fedisableexcept**, **fegetexcept** - floating-point exception masking

LIBRARY

Math Library (libm, -lm)

SYNOPSIS

```
#include <fenv.h>
```

```
#pragma STDC FENV_ACCESS ON
```

```
int
```

```
feenableexcept(int excepts);
```

```
int
```

```
fedisableexcept(int excepts);
```

```
int
```

```
fegetexcept(void);
```

DESCRIPTION

The **feenableexcept()** and **fedisableexcept()** functions unmask and mask (respectively) exceptions specified in *excepts*. The **fegetexcept()** function returns the current exception mask. All exceptions are masked by default.

Floating-point operations that produce unmasked exceptions will trap, and a SIGFPE will be delivered to the process. By installing a signal handler for SIGFPE, applications can take appropriate action immediately without testing the exception flags after every operation. Note that the trap may not be immediate, but it should occur before the next floating-point instruction is executed.

For all of these functions, the possible types of exceptions include those described in *fenv(3)*. Some architectures may define other types of floating-point exceptions.

RETURN VALUES

The **feenableexcept()**, **fedisableexcept()**, and **fegetexcept()** functions return a bitmap of the exceptions that were unmasked prior to the call.

SEE ALSO

sigaction(2), *feclearexcept(3)*, *fehldexcept(3)*, *fenv(3)*, *feupdateenv(3)*

BUGS

Functions in the standard library may trigger exceptions multiple times as a result of intermediate computations; however, they generally do not trigger spurious exceptions.

No interface is provided to permit exceptions to be handled in nontrivial ways. There is no uniform way for an exception handler to access information about the exception-causing instruction, or to determine whether that instruction should be reexecuted after returning from the handler.