

**NAME**

**gelf\_getmove, gelf\_update\_move** - read and update Elf Move information

**LIBRARY**

ELF Access Library (libelf, -lelf)

**SYNOPSIS**

```
#include <gelf.h>
```

```
GElf_Move *
```

```
gelf_getmove(Elf_Data *data, int ndx, GElf_Move *move);
```

```
int
```

```
gelf_update_move(Elf_Data *data, int ndx, GElf_Move *move);
```

**DESCRIPTION**

These convenience functions are used to retrieve and update class-dependent *Elf32\_Move* and *Elf64\_Move* structures in an ELF object.

Argument *data* is an *Elf\_Data* descriptor associated with a section of type SHT\_SUNW\_move.

Argument *ndx* is the index of the move record being retrieved or updated. The class-independent *GElf\_Move* structure is described in gelf(3).

Function **gelf\_getmove()** retrieves class-dependent move record at index *ndx* in data buffer *data* and copies it to the destination pointed to by argument *move* after translation to class-independent form.

Function **gelf\_update\_move()** converts the class-independent move information pointed to by argument *move* to class-dependent form, and writes it to the move record at index *ndx* in the data buffer described by argument *data*. Function **gelf\_update\_move()** signals an error if any of the values in the class-independent representation exceeds the representable limits of the target type.

**RETURN VALUES**

Function **gelf\_getmove()** returns the value of argument *move* if successful, or NULL in case of an error.

Function **gelf\_update\_move()** returns a non-zero value if successful, or zero in case of an error.

**ERRORS**

These functions may fail with the following errors:

[ELF\_E\_ARGUMENT]

Arguments *data* or *move* were NULL.

**[ELF\_E\_ARGUMENT]**

Argument *ndx* was less than zero or larger than the number of records in the data descriptor.

**[ELF\_E\_ARGUMENT]**

Data descriptor *data* was not associated with a section containing move information.

**[ELF\_E\_RANGE]** A value was not representable in the target type.**[ELF\_E\_VERSION]** The *Elf\_Data* descriptor denoted by argument *data* is associated with an ELF object with an unsupported version.**SEE ALSO**

`elf(3)`, `elf_getdata(3)`, `elf_getscn(3)`, `gelf(3)`