

NAME

gnutls_certificate_set_x509_key - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_certificate_set_x509_key(gnutls_certificate_credentials_t res, gnutls_x509 crt_t * cert_list,  
int cert_list_size, gnutls_x509_privkey_t key);
```

ARGUMENTS

gnutls_certificate_credentials_t res
is a **gnutls_certificate_credentials_t** type.

gnutls_x509 crt_t * cert_list
contains a certificate list (path) for the specified private key

int cert_list_size
holds the size of the certificate list

gnutls_x509_privkey_t key
is a **gnutls_x509_privkey_t** key

DESCRIPTION

This function sets a certificate/private key pair in the **gnutls_certificate_credentials_t** type. This function may be called more than once, in case multiple keys/certificates exist for the server. For clients that wants to send more than their own end entity certificate (e.g., also an intermediate CA cert) then put the certificate chain in *cert_list*.

Note that the certificates and keys provided, can be safely deinitialized after this function is called.

If that function fails to load the *res* type is at an undefined state, it must not be reused to load other keys or certificates.

Note that, this function by default returns zero on success and a negative value on error. Since 3.5.6, when the flag **GNUTLS_CERTIFICATE_API_V2** is set using **gnutls_certificate_set_flags()** it returns an index (greater or equal to zero). That index can be used to other functions to refer to the added key-pair.

RETURNS

On success this functions returns zero, and otherwise a negative value on error (see above for

modifying that behavior).

SINCE

2.4.0

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>