

NAME

gnutls_certificate_set_x509_key_mem2 - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_certificate_set_x509_key_mem2(gnutls_certificate_credentials_t res, const gnutls_datum_t *  
cert, const gnutls_datum_t * key, gnutls_x509_crt_fmt_t type, const char * pass, unsigned int flags);
```

ARGUMENTS

gnutls_certificate_credentials_t *res*
is a **gnutls_certificate_credentials_t** type.

const gnutls_datum_t * *cert*
contains a certificate list (path) for the specified private key

const gnutls_datum_t * *key*
is the private key, or **NULL**

gnutls_x509_crt_fmt_t *type*
is PEM or DER

const char * *pass*
is the key's password

unsigned int *flags*
an ORed sequence of gnutls_pkcs_encrypt_flags_t

DESCRIPTION

This function sets a certificate/private key pair in the gnutls_certificate_credentials_t type. This function may be called more than once, in case multiple keys/certificates exist for the server.

Note that the keyUsage (2.5.29.15) PKIX extension in X.509 certificates is supported. This means that certificates intended for signing cannot be used for ciphersuites that require encryption.

If the certificate and the private key are given in PEM encoding then the strings that hold their values must be null terminated.

The *key* may be **NULL** if you are using a sign callback, see **gnutls_sign_callback_set()**.

Note that, this function by default returns zero on success and a negative value on error. Since 3.5.6, when the flag **GNUTLS_CERTIFICATE_API_V2** is set using **gnutls_certificate_set_flags()** it returns an index (greater or equal to zero). That index can be used to other functions to refer to the added key-pair.

RETURNS

On success this functions returns zero, and otherwise a negative value on error (see above for modifying that behavior).

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>