

gnutls_certificate_verification_profile_get_id(3) gnutls gnutls_certificate_verification_profile_get_id(3)

NAME

gnutls_certificate_verification_profile_get_id - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
gnutls_certificate_verification_profiles_t gnutls_certificate_verification_profile_get_id(const char *  
name);
```

ARGUMENTS

const char * name
is a profile name

DESCRIPTION

Convert a string to a **gnutls_certificate_verification_profiles_t** value. The names are compared in a case insensitive way.

RETURNS

a **gnutls_certificate_verification_profiles_t** id of the specified profile, or **GNUTLS_PROFILE_UNKNOWN** on failure.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.
Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.
Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>