

NAME

gnutls_credentials_set - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_credentials_set(gnutls_session_t session, gnutls_credentials_type_t type, void * cred);
```

ARGUMENTS

gnutls_session_t session

is a **gnutls_session_t** type.

gnutls_credentials_type_t type

is the type of the credentials

void * cred the credentials to set

DESCRIPTION

Sets the needed credentials for the specified type. E.g. username, password - or public and private keys etc. The *cred* parameter is a structure that depends on the specified type and on the current session (client or server).

In order to minimize memory usage, and share credentials between several threads gnutls keeps a pointer to cred, and not the whole cred structure. Thus you will have to keep the structure allocated until you call **gnutls_deinit()**.

For **GNUTLS_CRD_ANON**, *cred* should be **gnutls_anon_client_credentials_t** in case of a client. In case of a server it should be **gnutls_anon_server_credentials_t**.

For **GNUTLS_CRD_SRP**, *cred* should be **gnutls_srp_client_credentials_t** in case of a client, and **gnutls_srp_server_credentials_t**, in case of a server.

For **GNUTLS_CRD_CERTIFICATE**, *cred* should be **gnutls_certificate_credentials_t**.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error code is returned.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>