

NAME

gnutls_encode_rs_value - API function

SYNOPSIS

```
#include <gnutls/crypto.h>
```

```
int gnutls_encode_rs_value(gnutls_datum_t * sig_value, const gnutls_datum_t * r, const gnutls_datum_t * s);
```

ARGUMENTS

gnutls_datum_t * sig_value

will hold a Dss-Sig-Value DER encoded structure

const gnutls_datum_t * r

must contain the r value

const gnutls_datum_t * s

must contain the s value

DESCRIPTION

This function will encode the provided r and s values, into a Dss-Sig-Value structure, used for DSA and ECDSA signatures.

The output value should be deallocated using **gnutls_free()**.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise an error code is returned.

SINCE

3.6.0

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>