

NAME

gnutls_ocsp_req_add_cert_id - API function

SYNOPSIS

```
#include <gnutls/ocsp.h>
```

```
int gnutls_ocsp_req_add_cert_id(gnutls_ocsp_req_t req, gnutls_digest_algorithm_t digest, const
gnutls_datum_t * issuer_name_hash, const gnutls_datum_t * issuer_key_hash, const gnutls_datum_t *
serial_number);
```

ARGUMENTS

gnutls_ocsp_req_t req

should contain a **gnutls_ocsp_req_t** type

gnutls_digest_algorithm_t digest

hash algorithm, a **gnutls_digest_algorithm_t** value

const gnutls_datum_t * issuer_name_hash

hash of issuer's DN

const gnutls_datum_t * issuer_key_hash

hash of issuer's public key

const gnutls_datum_t * serial_number

serial number of certificate to check

DESCRIPTION

This function will add another request to the OCSP request for a particular certificate having the issuer name hash of

issuer_name_hash and issuer key hash of *issuer_key_hash* (both hashed using *digest*) and serial number *serial_number*.

The information needed corresponds to the CertID structure:

```
<informalexample><programlisting> CertID ::= SEQUENCE { hashAlgorithm
AlgorithmIdentifier, issuerNameHash OCTET STRING, -- Hash of Issuer's DN issuerKeyHash
OCTET STRING, -- Hash of Issuers public key serialNumber CertificateSerialNumber }
</programlisting></informalexample>
```

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error code is returned.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>