

**NAME**

gnutls\_ocsp\_resp\_export2 - API function

**SYNOPSIS**

```
#include <gnutls/ocsp.h>
```

```
int gnutls_ocsp_resp_export2(gnutls_ocsp_resp_const_t resp, gnutls_datum_t * data,  
gnutls_x509_cert_fmt_t fmt);
```

**ARGUMENTS**

gnutls\_ocsp\_resp\_const\_t resp  
Holds the OCSP response

gnutls\_datum\_t \* data  
newly allocate buffer holding DER or PEM encoded OCSP response

gnutls\_x509\_cert\_fmt\_t fmt  
DER or PEM

**DESCRIPTION**

This function will export the OCSP response to DER or PEM format.

**RETURNS**

In case of failure a negative error code will be returned, and 0 on success.

**SINCE**

3.6.3

**REPORTING BUGS**

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

**COPYRIGHT**

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/`

directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>