

NAME

gnutls_ocsp_resp_get_extension - API function

SYNOPSIS

```
#include <gnutls/ocsp.h>
```

```
int gnutls_ocsp_resp_get_extension(gnutls_ocsp_resp_const_t resp, unsigned indx, gnutls_datum_t *  
oid, unsigned int * critical, gnutls_datum_t * data);
```

ARGUMENTS

gnutls_ocsp_resp_const_t resp

should contain a **gnutls_ocsp_resp_t** type

unsigned indx Specifies which extension OID to get. Use (0) to get the first one.

gnutls_datum_t * oid

will hold newly allocated buffer with OID of extension, may be NULL

unsigned int * critical

output variable with critical flag, may be NULL.

gnutls_datum_t * data

will hold newly allocated buffer with extension data, may be NULL

DESCRIPTION

This function will return all information about the requested extension in the OCSP response. The information returned is the OID, the critical flag, and the data itself. The extension OID will be stored as a string. Any of *oid*, *critical*, and *data* may be NULL which means that the caller is not interested in getting that information back.

The caller needs to deallocate memory by calling **gnutls_free()** on *oid* ->data and *data* ->data.

Since 3.7.0 *oid* ->size does not account for the terminating null byte.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error code is returned. If you have reached the last extension available **GNUTLS_E_REQUESTED_DATA_NOT_AVAILABLE** will be returned.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>