

NAME

gnutls_pcert_list_import_x509_raw - API function

SYNOPSIS

```
#include <gnutls/abstract.h>
```

```
int gnutls_pcert_list_import_x509_raw(gnutls_pcert_st * pcert_list, unsigned int * pcert_list_size,  
const gnutls_datum_t * data, gnutls_x509_crt_fmt_t format, unsigned int flags);
```

ARGUMENTS

gnutls_pcert_st * pcert_list

The structures to store the certificates; must not contain initialized **gnutls_pcert_st** structures.

unsigned int * pcert_list_size

Initially must hold the maximum number of certs. It will be updated with the number of certs available.

const gnutls_datum_t * data

The certificates.

gnutls_x509_crt_fmt_t format

One of DER or PEM.

unsigned int flags

must be (0) or an OR'd sequence of gnutls_certificate_import_flags.

DESCRIPTION

This function will import the provided DER or PEM encoded certificates to an already allocated set of **gnutls_pcert_st** structures. The structures must be deinitialized afterwards using **gnutls_pcert_deinit()**. *pcert_list* should contain space for at least *pcert_list_size* elements.

If the Certificate is PEM encoded it should have a header of "X509 CERTIFICATE", or "CERTIFICATE".

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error value; if the *pcert* list doesn't have enough space **GNUTLS_E_SHORT_MEMORY_BUFFER** will be returned.

SINCE

3.0

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>