gnutls

## NAME

gnutls\_pkcs11\_obj\_export2 - API function

## SYNOPSIS

#include <gnutls/pkcs11.h>

int gnutls\_pkcs11\_obj\_export2(gnutls\_pkcs11\_obj\_t obj, gnutls\_datum\_t \* out);

### ARGUMENTS

gnutls\_pkcs11\_obj\_t obj Holds the object

gnutls\_datum\_t \* out will contain the object data

### DESCRIPTION

This function will export the PKCS11 object data. It is normal for data to be inaccessible and in that case **GNUTLS\_E\_INVALID\_REQUEST** will be returned.

The output buffer is allocated using **gnutls\_malloc()**.

# RETURNS

In case of failure a negative error code will be returned, and GNUTLS\_E\_SUCCESS (0) on success.

#### SINCE

3.1.3

# **REPORTING BUGS**

Report bugs to <bugs@gnutls.org>. Home page: https://www.gnutls.org

# COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others. Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

#### SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

gnutls

https://www.gnutls.org/manual/