

## NAME

gnutls\_pkcs11\_obj\_get\_exts - API function

## SYNOPSIS

```
#include <gnutls/pkcs11.h>
```

```
int gnutls_pkcs11_obj_get_exts(gnutls_pkcs11_obj_t obj, gnutls_x509_ext_st ** exts, unsigned int *  
exts_size, unsigned int flags);
```

## ARGUMENTS

gnutls\_pkcs11\_obj\_t obj

should contain a **gnutls\_pkcs11\_obj\_t** type

gnutls\_x509\_ext\_st \*\* exts

a pointer to a **gnutls\_x509\_ext\_st** pointer

unsigned int \* exts\_size

will be updated with the number of *exts*

unsigned int flags

Or sequence of **GNUTLS\_PKCS11\_OBJ\_\*** flags

## DESCRIPTION

This function will return information about attached extensions that associate to the provided object (which should be a certificate). The extensions are the attached p11-kit trust module extensions.

Each element of *exts* must be deinitialized using **gnutls\_x509\_ext\_deinit()** while *exts* should be deallocated using **gnutls\_free()**.

## RETURNS

**GNUTLS\_E\_SUCCESS** (0) on success or a negative error code on error.

## SINCE

3.3.8

## REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

**COPYRIGHT**

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>