

NAME

gnutls_pkcs12_mac_info - API function

SYNOPSIS

```
#include <gnutls/pkcs12.h>
```

```
int gnutls_pkcs12_mac_info(gnutls_pkcs12_t pkcs12, unsigned int * mac, void * salt, unsigned int * salt_size, unsigned int * iter_count, char ** oid);
```

ARGUMENTS

gnutls_pkcs12_t pkcs12

A pkcs12 type

unsigned int * mac

the MAC algorithm used as **gnutls_mac_algorithm_t**

void * salt the salt used for string to key (if non-NULL then *salt_size* initially holds its size)

unsigned int * salt_size

string to key salt size

unsigned int * iter_count

string to key iteration count

char ** oid if non-NULL it will contain an allocated null-terminated variable with the OID

DESCRIPTION

This function will provide information on the MAC algorithm used in a PKCS 12 structure. If the structure algorithms are unknown the code **GNUTLS_E_UNKNOWN_HASH_ALGORITHM** will be returned, and only *oid*, will be set. That is, *oid* will be set on structures with a MAC whether supported or not. It must be deinitialized using **gnutls_free()**. The other variables are only set on supported structures.

RETURNS

GNUTLS_E_INVALID_REQUEST if the provided structure doesn't contain a MAC,

GNUTLS_E_UNKNOWN_HASH_ALGORITHM if the structure's MAC isn't supported, or another negative error code in case of a failure. Zero on success.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>