

NAME

gnutls_priority_get_cipher_suite_index - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_priority_get_cipher_suite_index(gnutls_priority_t pcache, unsigned int idx, unsigned int *  
sidx);
```

ARGUMENTS

gnutls_priority_t *pcache*

is a **gnutls_priority_t** type.

unsigned int *idx*

is an index number.

unsigned int * *sidx*

internal index of cipher suite to get information about.

DESCRIPTION

Provides the internal ciphersuite index to be used with **gnutls_cipher_suite_info()**. The index *idx* provided is an index kept at the priorities structure. It might be that a valid priorities index does not correspond to a ciphersuite and in that case **GNUTLS_E_UNKNOWN_CIPHER_SUITE** will be returned. Once the last available index is crossed then

GNUTLS_E_REQUESTED_DATA_NOT_AVAILABLE will be returned.

RETURNS

On success it returns **GNUTLS_E_SUCCESS** (0), or a negative error value otherwise.

SINCE

3.0.9

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium

without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>