

NAME

gnutls_random_art - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_random_art(gnutls_random_art_t type, const char * key_type, unsigned int key_size, void *  
fpr, size_t fpr_size, gnutls_datum_t * art);
```

ARGUMENTS

gnutls_random_art_t type

The type of the random art (for now only **GNUTLS_RANDOM_ART_OPENSSSH** is supported)

const char * key_type

The type of the key (RSA, DSA etc.)

unsigned int key_size

The size of the key in bits

void * fpr The fingerprint of the key

size_t fpr_size

The size of the fingerprint

gnutls_datum_t * art

The returned random art

DESCRIPTION

This function will convert a given fingerprint to an "artistic" image. The returned image is allocated using **gnutls_malloc()**, is null-terminated but art->size will not account the terminating null.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise an error code is returned.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>