

NAME

gnutls_range_split - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
int gnutls_range_split(gnutls_session_t session, const gnutls_range_st * orig, gnutls_range_st * next, gnutls_range_st * remainder);
```

ARGUMENTS

gnutls_session_t session

is a **gnutls_session_t** type

const gnutls_range_st * orig

is the original range provided by the user

gnutls_range_st * next

is the returned range that can be conveyed in a TLS record

gnutls_range_st * remainder

is the returned remaining range

DESCRIPTION

This function should be used when it is required to hide the length of very long data that cannot be directly provided to **gnutls_record_send_range()**. In that case this function should be called with the desired length hiding range in *orig*. The returned *next* value should then be used in the next call to **gnutls_record_send_range()** with the partial data. That process should be repeated until *remainder* is (0,0).

RETURNS

0 in case splitting succeeds, non zero in case of error. Note that *orig* is not changed, while the values of *next* and *remainder* are modified to store the resulting values.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>