

NAME

gnutls_record_send_early_data - API function

SYNOPSIS

```
#include <gnutls/gnutls.h>
```

```
ssize_t gnutls_record_send_early_data(gnutls_session_t session, const void * data, size_t data_size);
```

ARGUMENTS

gnutls_session_t session

is a **gnutls_session_t** type.

const void * data

contains the data to send

size_t data_size

is the length of the data

DESCRIPTION

This function can be used by a client to send data early in the handshake processes when resuming a session. This is used to implement a zero-roundtrip (0-RTT) mode. It has the same semantics as **gnutls_record_send()**.

There may be a limit to the amount of data sent as early data. Use

gnutls_record_get_max_early_data_size() to check the limit. If the limit exceeds, this function returns **GNUTLS_E_RECORD_LIMIT_REACHED**.

RETURNS

The number of bytes sent, or a negative error code. The number of bytes sent might be less than *data_size*. The maximum number of bytes this function can send in a single call depends on the negotiated maximum record size.

SINCE

3.6.5

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>