

NAME

gnutls_x509_crl_dist_points_get - API function

SYNOPSIS

```
#include <gnutls/x509-ext.h>
```

```
int gnutls_x509_crl_dist_points_get(gnutls_x509_crl_dist_points_t cdp, unsigned int seq, unsigned int  
* type, gnutls_datum_t * san, unsigned int * reasons);
```

ARGUMENTS

gnutls_x509_crl_dist_points_t *cdp*

The CRL distribution points

unsigned int *seq*

specifies the sequence number of the distribution point (0 for the first one, 1 for the second etc.)

unsigned int * *type*

The name type of the corresponding name (gnutls_x509_subject_alt_name_t)

gnutls_datum_t * *san*

The distribution point names (to be treated as constant)

unsigned int * *reasons*

Revocation reasons. An ORed sequence of flags from **gnutls_x509_crl_reason_flags_t**.

DESCRIPTION

This function retrieves the individual CRL distribution points (2.5.29.31), contained in provided type.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned,

GNUTLS_E_REQUESTED_DATA_NOT_AVAILABLE if the index is out of bounds, otherwise a negative error value.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>