

NAME

gnutls_x509_crl_print - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_crl_print(gnutls_x509_crl_t crl, gnutls_certificate_print_formats_t format,  
gnutls_datum_t * out);
```

ARGUMENTS

gnutls_x509_crl_t *crl*

The data to be printed

gnutls_certificate_print_formats_t *format*

Indicate the format to use

gnutls_datum_t * *out*

Newly allocated datum with null terminated string.

DESCRIPTION

This function will pretty print a X.509 certificate revocation list, suitable for display to a human.

The output *out* needs to be deallocated using **gnutls_free()**.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error value.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>