

NAME

gnutls_x509_crq_get_tlsfeatures - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_crq_get_tlsfeatures(gnutls_x509_crq_t crq, gnutls_x509_tlsfeatures_t features,  
unsigned int flags, unsigned int * critical);
```

ARGUMENTS

gnutls_x509_crq_t crq

An X.509 certificate request

gnutls_x509_tlsfeatures_t features

If the function succeeds, the features will be stored in this variable.

unsigned int flags

zero or **GNUTLS_EXT_FLAG_APPEND**

unsigned int * critical

the extension status

DESCRIPTION

This function will get the X.509 TLS features extension structure from the certificate request. The returned structure needs to be freed using **gnutls_x509_tlsfeatures_deinit()**.

When the *flags* is set to **GNUTLS_EXT_FLAG_APPEND**, then if the *features* structure is empty this function will behave identically as if the flag was not set. Otherwise if there are elements in the *features* structure then they will be merged with.

Note that *features* must be initialized prior to calling this function.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error value.

SINCE

3.5.1

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>