

NAME

gnutls_x509_cert_get_extension_by_oid2 - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_cert_get_extension_by_oid2(gnutls_x509_cert_t cert, const char * oid, unsigned indx,
gnutls_datum_t * output, unsigned int * critical);
```

ARGUMENTS

gnutls_x509_cert_t cert

should contain a **gnutls_x509_cert_t** type

const char * oid

holds an Object Identified in null terminated string

unsigned indx In case multiple same OIDs exist in the extensions, this specifies which to send. Use (0) to get the first one.

gnutls_datum_t * output

will hold the allocated extension data

unsigned int * critical

will be non-zero if the extension is marked as critical

DESCRIPTION

This function will return the extension specified by the OID in the certificate. The extensions will be returned as binary data DER encoded, in the provided buffer.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error code is returned. If the certificate does not contain the specified extension

GNUTLS_E_REQUESTED_DATA_NOT_AVAILABLE will be returned.

SINCE

3.3.8

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>