

NAME

gnutls_x509_cert_get_private_key_usage_period - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_cert_get_private_key_usage_period(gnutls_x509_cert_t cert, time_t * activation, time_t * expiration, unsigned int * critical);
```

ARGUMENTS

gnutls_x509_cert_t cert
should contain a **gnutls_x509_cert_t** type

time_t * activation
The activation time

time_t * expiration
The expiration time

unsigned int * critical
the extension status

DESCRIPTION

This function will return the expiration and activation times of the private key of the certificate. It relies on the PKIX extension 2.5.29.16 being present.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, **GNUTLS_E_REQUESTED_DATA_NOT_AVAILABLE** if the extension is not present, otherwise a negative error value.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.
Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.
Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

gnutls_x509_cert_get_private_key_usage_period(3)

gnutls

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>