

gnutls_x509_cert_set_inhibit_anypolicy(3) gnutls gnutls_x509_cert_set_inhibit_anypolicy(3)

NAME

gnutls_x509_cert_set_inhibit_anypolicy - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_cert_set_inhibit_anypolicy(gnutls_x509_cert_t cert, unsigned int skipcerts);
```

ARGUMENTS

gnutls_x509_cert_t *cert*

a certificate of type **gnutls_x509_cert_t**

unsigned int *skipcerts*

number of certificates after which anypolicy is no longer acceptable.

DESCRIPTION

This function will set the Inhibit anyPolicy certificate extension.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error value.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>