

NAME

gnutls_x509_dn_get_rdn_ava - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_dn_get_rdn_ava(gnutls_x509_dn_t dn, int irdn, int iava, gnutls_x509_ava_st * ava);
```

ARGUMENTS

gnutls_x509_dn_t dn
a pointer to DN

int irdn index of RDN

int iava index of AVA.

gnutls_x509_ava_st * ava
Pointer to structure which will hold output information.

DESCRIPTION

Get pointers to data within the DN. The format of the *ava* structure is shown below.

```
struct gnutls_x509_ava_st { gnutls_datum_t oid; gnutls_datum_t value; unsigned long value_tag; };
```

The X.509 distinguished name is a sequence of sequences of strings and this is what the *irdn* and *iava* indexes model.

Note that *ava* will contain pointers into the *dn* structure which in turns points to the original certificate. Thus you should not modify any data or deallocate any of those.

This is a low-level function that requires the caller to do the value conversions when necessary (e.g. from UCS-2).

RETURNS

Returns 0 on success, or an error code.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001- Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/` directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>