

NAME

gnutls_x509_ext_import_policies - API function

SYNOPSIS

```
#include <gnutls/x509-ext.h>
```

```
int gnutls_x509_ext_import_policies(const gnutls_datum_t * ext, gnutls_x509_policies_t policies,
unsigned int flags);
```

ARGUMENTS

const gnutls_datum_t * ext

the DER encoded extension data

gnutls_x509_policies_t policies

A pointer to an initialized policies.

unsigned int flags

should be zero

DESCRIPTION

This function will extract the certificate policy extension (2.5.29.32) and store it the provided policies.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, otherwise a negative error value.

SINCE

3.3.0

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the `/usr/local/share/doc/gnutls/`

directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>