### **NAME**

gnutls\_x509\_ext\_import\_policies - API function

### **SYNOPSIS**

#include <gnutls/x509-ext.h>

int gnutls\_x509\_ext\_import\_policies(const gnutls\_datum\_t \* ext, gnutls\_x509\_policies\_t policies, unsigned int flags);

### **ARGUMENTS**

```
const gnutls_datum_t * ext
the DER encoded extension data
gnutls_x509_policies_t policies
A pointer to an initialized policies.
unsigned int flags
```

should be zero

#### DESCRIPTION

This function will extract the certificate policy extension (2.5.29.32) and store it the provided policies.

## **RETURNS**

On success, GNUTLS\_E\_SUCCESS (0) is returned, otherwise a negative error value.

# **SINCE**

3.3.0

## **REPORTING BUGS**

Report bugs to <bugs@gnutls.org>. Home page: https://www.gnutls.org

## **COPYRIGHT**

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

## **SEE ALSO**

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/

directory does not contain the HTML form visit

https://www.gnutls.org/manual/