

NAME

gnutls_x509_rdn_get_by_oid - API function

SYNOPSIS

```
#include <gnutls/x509.h>
```

```
int gnutls_x509_rdn_get_by_oid(const gnutls_datum_t * idn, const char * oid, unsigned indx, unsigned int raw_flag, void * buf, size_t * buf_size);
```

ARGUMENTS

const gnutls_datum_t * idn

should contain a DER encoded RDN sequence

const char * oid

an Object Identifier

unsigned indx In case multiple same OIDs exist in the RDN indicates which to send. Use 0 for the first one.

unsigned int raw_flag

If non-zero then the raw DER data are returned.

void * buf a pointer to a structure to hold the peer's name

size_t * buf_size

holds the size of *buf*

DESCRIPTION

This function will return the name of the given Object identifier, of the RDN sequence. The name will be encoded using the rules from RFC4514.

RETURNS

On success, **GNUTLS_E_SUCCESS** (0) is returned, or **GNUTLS_E_SHORT_MEMORY_BUFFER** is returned and * *buf_size* is updated if the provided buffer is not long enough, otherwise a negative error value.

REPORTING BUGS

Report bugs to <bugs@gnutls.org>.

Home page: <https://www.gnutls.org>

COPYRIGHT

Copyright (C) 2001-2023 Free Software Foundation, Inc., and others.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

SEE ALSO

The full documentation for **gnutls** is maintained as a Texinfo manual. If the /usr/local/share/doc/gnutls/ directory does not contain the HTML form visit

<https://www.gnutls.org/manual/>