

**NAME**

gsasl\_hex\_from - API function

**SYNOPSIS**

```
#include <gsasl.h>
```

```
int gsasl_hex_from(const char * in, char ** out, size_t * outlen);
```

**ARGUMENTS**

const char \* in

input byte array

char \*\* out pointer to newly allocated output byte array

size\_t \* outlen

pointer to size of newly allocated output byte array

**DESCRIPTION**

Decode hex data. The *out* buffer must be deallocated by the caller.

Return value: Returns **GSASL\_OK** on success, **GSASL\_BASE64\_ERROR** if input was invalid, and **GSASL\_MALLOC\_ERROR** on memory allocation errors.

**SINCE**

1.10

**REPORTING BUGS**

Report bugs to <bug-gsasl@gnu.org>.

General guidelines for reporting bugs: <http://www.gnu.org/gethelp/>

GNU SASL home page: <http://www.gnu.org/software/gsas/>

**COPYRIGHT**

Copyright (C) 2002-2022 Simon Josefsson.

Copying and distribution of this file, with or without modification, are permitted in any medium without royalty provided the copyright notice and this notice are preserved.

**SEE ALSO**

The full documentation for **gsasl** is maintained as a Texinfo manual. If the **info** and **gsasl** programs are properly installed at your site, the command

**info gsasl**

should give you access to the complete manual. As an alternative you may obtain the manual from:

**<http://www.gnu.org/software/gsasl/manual/>**